

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124B	0	153	-20.5
WKP124B	3	153.01	-20.27
WKP124B	6	152.96	-20.02
WKP124B	9	152.93	-20.15
WKP124B	12	152.88	-20.46
WKP124B	15	152.83	-20.61
WKP124B	18	152.79	-20.53
WKP124B	21	152.71	-20.44
WKP124B	24	152.62	-20.42
WKP124B	27	152.53	-20.48
WKP124B	30	152.51	-20.6
WKP124B	33	152.56	-20.87
WKP124B	36	152.6	-21.29
WKP124B	39	152.66	-21.71
WKP124B	42	152.69	-22.08
WKP124B	45	152.69	-22.31
WKP124B	48	152.67	-22.46
WKP124B	51	152.61	-22.67
WKP124B	54	152.5	-23.11
WKP124B	57	152.38	-23.75
WKP124B	60	152.25	-24.21
WKP124B	63	152.17	-24.25
WKP124B	66	152.12	-23.96
WKP124B	69	152.03	-23.85
WKP124B	72	151.95	-24.23
WKP124B	75	151.91	-24.78
WKP124B	78	151.91	-25.14
WKP124B	81	151.87	-25.34
WKP124B	84	151.77	-25.37
WKP124B	87	151.66	-25.38
WKP124B	90	151.57	-25.48
WKP124B	93	151.47	-25.69
WKP124B	96	151.42	-26
WKP124B	99	151.37	-26.31
WKP124B	102	151.36	-26.61
WKP124B	105	151.34	-26.87
WKP124B	108	151.31	-27.1
WKP124B	111	151.31	-27.27
WKP124B	114	151.26	-27.41
WKP124B	117	151.26	-27.7
WKP124B	120	151.22	-28.02
WKP124B	123	151.18	-28.19
WKP124B	126	151.13	-28.38
WKP124B	129	151.12	-28.61
WKP124B	132	151.05	-28.81
WKP124B	135	151.03	-28.98
WKP124B	138	151.09	-29.1
WKP124B	141	151.37	-29.14

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124B	144	152.2	-29.05
WKP124B	147	152.64	-29.08
WKP124B	150	152.9	-29.08
WKP124B	153	153.02	-29.3
WKP124B	156	153.11	-29.93
WKP124B	159	153.13	-30.78
WKP124B	162	153.11	-31.31
WKP124B	165	153.09	-31.1
WKP124B	168	152.97	-30.28
WKP124B	171	152.86	-29.2
WKP124B	174	152.63	-26.63
WKP124B	177	152.7	-25.71
WKP124B	180	152.86	-25.09
WKP124B	183	153.26	-24.55
WKP124B	186	153.82	-24.04
WKP124B	189	154.51	-23.57
WKP124B	192	155.15	-23.11
WKP124B	195	155.57	-22.76
WKP124B	198	155.76	-22.47
WKP124B	201	155.95	-21.44
WKP124B	204	155.87	-21.28
WKP124B	207	155.79	-21.46
WKP124B	210	155.8	-21.64
WKP124B	213	155.81	-21.71
WKP124B	216	155.82	-21.84
WKP124B	219	155.82	-22.01
WKP124B	222	155.8	-22.16
WKP124B	225	155.73	-22.32
WKP124B	228	155.7	-22.4
WKP124B	231	155.66	-22.58
WKP124B	234	155.64	-22.78
WKP124B	237	155.58	-22.95
WKP124B	240	155.57	-23.13
WKP124B	243	155.5	-23.23
WKP124B	246	155.47	-23.42
WKP124B	249	155.46	-23.55
WKP124B	252	155.44	-23.7
WKP124B	255	155.47	-23.82
WKP124B	258	155.42	-23.91
WKP124B	261	155.37	-23.98
WKP124B	264	155.32	-24.05
WKP124B	267	155.29	-24.15
WKP124B	270	155.24	-24.25
WKP124B	273	155.25	-24.37
WKP124B	276	155.2	-24.41
WKP124B	279	155.23	-24.46
WKP124B	282	155.22	-24.41
WKP124B	285	155.17	-24.4

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124B	288	155.15	-24.3
WKP124B	291	155.13	-24.25
WKP124B	294	155.12	-24.25
WKP124B	297	155.1	-24.29
WKP124B	300	155.08	-24.26
WKP124B	303	155.01	-24.24
WKP124B	306	155.03	-24.21
WKP124B	309	155.01	-24.19
WKP124B	312	154.99	-24.08
WKP124B	315	154.96	-24.03
WKP124B	318	154.97	-23.94
WKP124B	321	154.93	-23.9
WKP124B	324	154.95	-23.9
WKP124B	327	154.93	-23.79
WKP124B	330	154.96	-23.7
WKP124B	333	154.98	-23.6
WKP124B	336	154.95	-23.55
WKP124B	339	154.96	-23.48
WKP124B	342	154.93	-23.37
WKP124B	345	154.88	-23.34
WKP124B	348	154.92	-23.3
WKP124B	351	154.86	-23.39
WKP124B	354	154.86	-23.38
WKP124B	357	154.82	-23.39
WKP124B	360	154.83	-23.4
WKP124B	363	154.84	-23.46
WKP124B	366	154.84	-23.46
WKP124B	369	154.81	-23.39
WKP124B	372	154.87	-23.32
WKP124B	375	154.82	-23.37
WKP124B	378	154.81	-23.4
WKP124B	381	154.78	-23.41
WKP124B	384	154.75	-23.41
WKP124B	387	154.76	-23.43
WKP124B	390	154.72	-23.45
WKP124B	393	154.68	-23.39
WKP124B	396	154.69	-23.31
WKP124B	399	154.66	-23.25
WKP124B	402	154.65	-23.12
WKP124B	405	154.67	-23.13
WKP124B	408	154.58	-23.13
WKP124B	411	154.5	-23.19
WKP124B	414	154.47	-23.28
WKP124B	417	154.42	-23.38
WKP124B	420	154.44	-23.53
WKP124B	423	154.35	-23.67
WKP124B	426	154.37	-23.8
WKP124B	429	154.35	-23.9

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124B	432	154.32	-24.03
WKP124B	435	154.29	-24.25
WKP124B	438	154.3	-24.4
WKP124B	441	154.32	-24.49
WKP124B	444	154.32	-24.58
WKP124B	447	154.31	-24.8
WKP124B	450	154.29	-25.01
WKP124B	453	154.31	-25.17
WKP124B	456	154.3	-25.32
WKP124B	459	154.29	-25.46
WKP124B	462	154.27	-25.56
WKP124B	465	154.27	-25.66
WKP124B	468	154.22	-25.85
WKP124B	471	154.22	-26.08
WKP124B	474	154.17	-26.18
WKP124B	477	154.11	-26.28
WKP124B	480	154.15	-26.37
WKP124B	483	154.17	-26.56
WKP124B	486	154.18	-26.79
WKP124B	489	154.19	-26.9
WKP124B	492	154.15	-27.05
WKP124B	495	154.15	-27.1
WKP124B	498	154.11	-27.18
WKP124B	501	154.08	-27.27
WKP124B	504	154.06	-27.46
WKP124B	507	153.98	-27.53
WKP124B	510	154.05	-27.62
WKP124B	513	154.04	-27.75
WKP124B	516	154.11	-27.74
WKP124B	519	154.06	-27.8
WKP124B	522	154.06	-27.77
WKP124B	525	154.01	-27.72
WKP124B	528	153.94	-27.65
WKP124B	531	153.99	-27.69
WKP124B	534	154.03	-27.7
WKP124B	537	154.05	-27.61
WKP124B	540	154.02	-27.65
WKP124B	543	154.06	-27.6
WKP124B	546	154.02	-27.46
WKP124B	549	154	-27.46
WKP124B	552	154.07	-27.5
WKP124B	555	154.01	-27.39
WKP124B	558	154.07	-27.39
WKP124B	561	153.94	-27.29
WKP124B	564	153.81	-27.28
WKP124B	567	153.64	-27.39
WKP124B	570	153.63	-27.32
WKP124B	573	153.66	-27.32

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124B	576	153.73	-27.35
WKP124B	579	153.95	-27.56
WKP124B	582	153.99	-27.63
WKP124B	585	153.96	-27.8
WKP124B	588	154.07	-27.84
WKP124C	0	153	-20.5
WKP124C	3	153.01	-20.27
WKP124C	6	152.96	-20.02
WKP124C	9	152.93	-20.15
WKP124C	12	152.88	-20.46
WKP124C	15	152.83	-20.61
WKP124C	18	152.79	-20.53
WKP124C	21	152.71	-20.44
WKP124C	24	152.62	-20.42
WKP124C	27	152.53	-20.48
WKP124C	30	152.51	-20.6
WKP124C	33	152.56	-20.87
WKP124C	36	152.6	-21.29
WKP124C	39	152.66	-21.71
WKP124C	42	152.69	-22.08
WKP124C	45	152.69	-22.31
WKP124C	48	152.67	-22.46
WKP124C	51	152.61	-22.67
WKP124C	54	152.5	-23.11
WKP124C	57	152.38	-23.75
WKP124C	60	152.25	-24.21
WKP124C	63	152.17	-24.25
WKP124C	66	152.12	-23.96
WKP124C	69	152.03	-23.85
WKP124C	72	151.95	-24.23
WKP124C	75	151.91	-24.78
WKP124C	78	151.91	-25.14
WKP124C	81	151.87	-25.34
WKP124C	84	151.77	-25.37
WKP124C	87	151.66	-25.38
WKP124C	90	151.57	-25.48
WKP124C	93	151.47	-25.69
WKP124C	96	151.42	-26
WKP124C	99	151.37	-26.31
WKP124C	102	151.36	-26.61
WKP124C	105	151.34	-26.87
WKP124C	108	151.31	-27.1
WKP124C	111	151.31	-27.27
WKP124C	114	151.26	-27.41
WKP124C	117	151.26	-27.7
WKP124C	120	151.22	-28.02
WKP124C	123	151.18	-28.19
WKP124C	126	151.13	-28.38

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124C	129	151.12	-28.61
WKP124C	132	151.05	-28.81
WKP124C	135	151.03	-28.98
WKP124C	138	151.09	-29.1
WKP124C	141	151.37	-29.14
WKP124C	144	152.2	-29.05
WKP124C	147	152.64	-29.08
WKP124C	150	152.9	-29.08
WKP124C	153	153.02	-29.3
WKP124C	156	153.11	-29.93
WKP124C	159	153.13	-30.78
WKP124C	162	153.11	-31.31
WKP124C	165	153.09	-31.1
WKP124C	168	152.97	-30.28
WKP124C	171	152.86	-29.2
WKP124C	174	152.63	-26.63
WKP124C	177	152.7	-25.71
WKP124C	180	152.86	-25.09
WKP124C	183	153.26	-24.55
WKP124C	186	153.82	-24.04
WKP124C	189	154.51	-23.57
WKP124C	192	155.15	-23.11
WKP124C	195	155.57	-22.76
WKP124C	198	155.76	-22.47
WKP124C	201	155.57	-23.16
WKP124C	204	155.55	-23.3
WKP124C	207	155.49	-23.4
WKP124C	210	155.45	-23.47
WKP124C	213	155.37	-23.58
WKP124C	216	155.33	-23.71
WKP124C	219	155.29	-23.86
WKP124C	222	155.23	-24.05
WKP124C	225	155.14	-24.22
WKP124C	228	155.09	-24.4
WKP124C	231	155.08	-24.6
WKP124C	234	155.01	-24.77
WKP124C	237	154.97	-24.93
WKP124C	240	154.92	-25.07
WKP124C	243	154.88	-25.21
WKP124C	246	154.83	-25.36
WKP124C	249	154.72	-25.49
WKP124C	252	154.67	-25.59
WKP124C	255	154.64	-25.73
WKP124C	258	154.65	-25.86
WKP124C	261	154.59	-26.03
WKP124C	264	154.53	-26.19
WKP124C	267	154.42	-26.32
WKP124C	270	154.31	-26.39

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124C	273	154.28	-26.55
WKP124C	276	154.24	-26.62
WKP124C	279	154.2	-26.69
WKP124C	282	154.16	-26.74
WKP124C	285	154.18	-26.8
WKP124C	288	154.39	-26.26
WKP124C	291	154.76	-25.18
WKP124C	294	155.13	-24.55
WKP124C	297	155.03	-24.5
WKP124C	300	154.81	-24.32
WKP124C	303	154.86	-24.01
WKP124C	306	155.42	-23.84
WKP124C	309	156.3	-23.69
WKP124C	312	156.91	-23.35
WKP124C	315	157.02	-22.58
WKP124C	318	156.9	-21.57
WKP124C	321	156.84	-20.84
WKP124C	324	156.86	-20.47
WKP124C	327	156.99	-20.21
WKP124C	330	157.31	-20.05
WKP124C	333	157.74	-19.86
WKP124C	336	158.17	-19.65
WKP124C	339	158.75	-19.42
WKP124C	342	159.65	-19.4
WKP124C	345	160.16	-19.62
WKP124C	348	160.24	-19.84
WKP124C	351	160.15	-19.77
WKP124C	354	160	-19.47
WKP124C	357	159.85	-19.22
WKP124C	360	160.02	-19.03
WKP124C	363	160.48	-18.71
WKP124C	366	161.09	-18.4
WKP124C	369	161.62	-18.21
WKP124C	372	162.15	-18.2
WKP124C	375	162.65	-18.16
WKP124C	378	163.03	-17.89
WKP124C	381	163.38	-17.73
WKP124C	384	163.76	-17.8
WKP124C	387	163.93	-17.91
WKP124C	390	164	-17.99
WKP124C	393	163.98	-18.1
WKP124C	396	163.99	-18.23
WKP124C	399	163.97	-18.31
WKP124C	402	163.95	-18.39
WKP124C	405	163.94	-18.44
WKP124C	408	163.96	-18.51
WKP124C	411	163.96	-18.54
WKP124C	414	163.96	-18.65

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124C	417	163.96	-18.79
WKP124C	420	163.94	-18.97
WKP124C	423	163.96	-19.14
WKP124C	426	163.94	-19.36
WKP124C	429	163.97	-19.55
WKP124C	432	163.93	-19.75
WKP124C	435	163.95	-20.02
WKP124C	438	163.97	-20.33
WKP124C	441	163.95	-20.38
WKP124C	444	163.84	-20.28
WKP124C	447	163.77	-20.44
WKP124C	450	163.82	-20.79
WKP124C	453	163.8	-21.14
WKP124C	456	163.84	-21.28
WKP124C	459	163.83	-21.44
WKP124C	462	163.77	-21.63
WKP124C	465	163.78	-21.78
WKP124C	468	163.82	-21.94
WKP124C	471	163.82	-22.24
WKP124C	474	163.88	-22.37
WKP124C	477	163.84	-22.56
WKP124C	480	163.89	-22.8
WKP124C	483	163.93	-23.06
WKP124C	486	163.81	-23.27
WKP124C	489	163.78	-23.22
WKP124C	492	163.81	-23.38
WKP124C	495	163.87	-23.62
WKP124C	498	163.88	-23.77
WKP124C	501	163.86	-23.96
WKP124C	504	163.81	-24.17
WKP124C	507	163.83	-24.31
WKP124C	510	163.85	-24.59
WKP124C	513	163.87	-24.92
WKP124C	516	163.87	-24.84
WKP124C	519	163.86	-24.82
WKP124C	522	163.81	-24.95
WKP124C	525	163.79	-25.13
WKP124C	528	163.78	-25.28
WKP124C	531	163.78	-25.5
WKP124C	534	163.8	-25.65
WKP124C	537	163.79	-25.82
WKP124C	540	163.81	-25.96
WKP124C	543	163.84	-26.13
WKP124C	546	163.83	-26.35
WKP124C	549	163.8	-26.43
WKP124C	552	163.85	-26.43
WKP124C	555	163.84	-26.58
WKP124C	558	163.79	-26.76

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124C	561	163.76	-26.92
WKP124C	564	163.77	-27.12
WKP124C	567	163.72	-27.25
WKP124C	570	163.66	-27.35
WKP124C	573	163.74	-27.38
WKP124C	576	163.8	-27.36
WKP124C	579	163.9	-27.4
WKP124C	582	163.98	-27.41
WKP124C	585	164.12	-27.44
WKP124C	588	164.14	-27.32
WKP124C	591	164.07	-27.17
WKP124C	594	164.07	-27.05
WKP124C	597	164.07	-26.97
WKP124C	600	164	-27.03
WKP124C	603	163.86	-27.12
WKP124C	606	163.83	-27.12
WKP124C	609	163.83	-27.06
WKP124C	612	163.94	-27.04
WKP124C	615	163.95	-27.06
WKP124C	618	163.85	-27.18
WKP124C	621	163.81	-27.17
WKP124C	624	163.87	-27.2
WKP124C	627	163.94	-27.12
WKP124C	630	164.03	-27
WKP124C	633	164.01	-27.05
WKP124C	636	163.95	-27.07
WKP124C	639	164.05	-26.97
WKP124C	642	164.16	-27.02
WKP124C	645	164.18	-26.98
WKP124C	648	164.2	-26.96
WKP124C	651	164.16	-27.02
WKP124C	654	164.19	-27.12
WKP124C	657	164.21	-27.22
WKP124C	660	164.21	-27.26
WKP124D	0	153	-20.5
WKP124D	3	153.01	-20.27
WKP124D	6	152.96	-20.02
WKP124D	9	152.93	-20.15
WKP124D	12	152.88	-20.46
WKP124D	15	152.83	-20.61
WKP124D	18	152.79	-20.53
WKP124D	21	152.71	-20.44
WKP124D	24	152.62	-20.42
WKP124D	27	152.53	-20.48
WKP124D	30	152.51	-20.6
WKP124D	33	152.56	-20.87
WKP124D	36	152.6	-21.29
WKP124D	39	152.66	-21.71

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124D	42	152.69	-22.08
WKP124D	45	152.69	-22.31
WKP124D	48	152.67	-22.46
WKP124D	51	152.61	-22.67
WKP124D	54	152.5	-23.11
WKP124D	57	152.38	-23.75
WKP124D	60	152.25	-24.21
WKP124D	63	152.17	-24.25
WKP124D	66	152.12	-23.96
WKP124D	69	152.03	-23.85
WKP124D	72	151.95	-24.23
WKP124D	75	151.91	-24.78
WKP124D	78	151.91	-25.14
WKP124D	81	151.87	-25.34
WKP124D	84	151.77	-25.37
WKP124D	87	151.66	-25.38
WKP124D	90	151.57	-25.48
WKP124D	93	151.47	-25.69
WKP124D	96	151.42	-26
WKP124D	99	151.37	-26.31
WKP124D	102	151.36	-26.61
WKP124D	105	151.34	-26.87
WKP124D	108	151.31	-27.1
WKP124D	111	151.31	-27.27
WKP124D	114	151.26	-27.41
WKP124D	117	151.26	-27.7
WKP124D	120	151.22	-28.02
WKP124D	123	151.18	-28.19
WKP124D	126	151.13	-28.38
WKP124D	129	151.12	-28.61
WKP124D	132	151.05	-28.81
WKP124D	135	151.03	-28.98
WKP124D	138	151.09	-29.1
WKP124D	141	151.37	-29.14
WKP124D	144	152.2	-29.05
WKP124D	147	152.64	-29.08
WKP124D	150	152.9	-29.08
WKP124D	153	153.02	-29.3
WKP124D	156	153.11	-29.93
WKP124D	159	153.13	-30.78
WKP124D	162	153.11	-31.31
WKP124D	165	153.09	-31.1
WKP124D	168	152.97	-30.28
WKP124D	171	153.27	-31.52
WKP124D	174	153.31	-30.94
WKP124D	177	153.3	-30.52
WKP124D	180	153.19	-30.52
WKP124D	183	152.97	-30.67

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124D	186	152.95	-31.06
WKP124D	189	152.92	-31.51
WKP124D	192	152.96	-31.67
WKP124D	195	152.98	-31.71
WKP124D	198	153.06	-31.76
WKP124D	201	153.17	-31.91
WKP124D	204	153.32	-31.66
WKP124D	207	153.47	-31.13
WKP124D	210	153.64	-30.56
WKP124D	213	153.71	-30.22
WKP124D	216	153.75	-30.01
WKP124D	219	153.71	-29.65
WKP124D	222	153.73	-29.33
WKP124D	225	153.75	-29.07
WKP124D	228	153.81	-29
WKP124D	231	153.86	-28.95
WKP124D	234	153.88	-28.96
WKP124D	237	153.94	-29.04
WKP124D	240	154.01	-29.13
WKP124D	243	154.09	-29
WKP124D	246	154.0	-28.6
WKP124D	249	153.8	-28.2
WKP124D	252	153.4	-27.9
WKP124D	255	153.0	-27.6
WKP124D	258	152.4	-27.2
WKP124D	261	152.0	-26.8
WKP124D	264	151.5	-26.4
WKP124D	267	151.1	-26.1
WKP124D	270	150.7	-25.6
WKP124D	273	150.3	-25.1
WKP124D	276	149.9	-24.6
WKP124D	279	149.4	-24.2
WKP124D	282	149.4	-24.2
WKP124D	285	149.5	-24.0
WKP124D	288	149.6	-23.3
WKP124D	291	149.6	-22.8
WKP124D	294	149.5	-22.7
WKP124D	297	149.3	-22.7
WKP124D	300	149.0	-22.7
WKP124D	303	148.7	-22.7
WKP124D	306	148.4	-22.4
WKP124D	309	148.0	-21.9
WKP124D	312	147.8	-21.6
WKP124D	315	147.6	-21.2
WKP124D	318	147.3	-20.6
WKP124D	321	146.8	-19.6
WKP124D	324	146.4	-18.8
WKP124D	327	146.2	-18.2

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124D	330	146.1	-17.9
WKP124D	333	146.1	-17.5
WKP124D	336	145.8	-16.9
WKP124D	339	145.5	-16.3
WKP124D	342	145.0	-15.6
WKP124D	345	144.3	-15.2
WKP124D	348	143.7	-14.9
WKP124D	351	143.0	-14.3
WKP124D	354	142.7	-14.0
WKP124D	357	142.6	-13.9
WKP124D	360	142.5	-14.1
WKP124D	363	142.5	-14.2
WKP124D	366	142.5	-14.4
WKP124D	369	142.5	-14.5
WKP124D	372	142.5	-14.7
WKP124D	375	142.5	-14.8
WKP124D	378	142.5	-14.9
WKP124D	381	142.5	-15.0
WKP124D	384	142.5	-15.2
WKP124D	387	142.5	-15.3
WKP124D	390	142.4	-15.5
WKP124D	393	142.5	-15.6
WKP124D	396	142.5	-15.9
WKP124D	399	142.4	-16.0
WKP124D	402	142.4	-16.3
WKP124D	405	142.4	-16.5
WKP124D	408	142.3	-16.7
WKP124D	411	142.4	-16.8
WKP124D	414	142.3	-17.2
WKP124D	417	142.4	-17.3
WKP124D	420	142.3	-17.5
WKP124D	423	142.3	-17.8
WKP124D	426	142.3	-18.0
WKP124D	429	142.3	-18.2
WKP124D	432	142.3	-18.1
WKP124D	435	142.4	-18.5
WKP124D	438	142.4	-18.8
WKP124D	441	142.4	-18.8
WKP124D	444	142.4	-19.1
WKP124D	447	142.4	-19.3
WKP124D	450	142.3	-19.5
WKP124D	453	142.3	-19.7
WKP124D	456	142.3	-19.9
WKP124D	459	142.4	-20.1
WKP124D	462	142.3	-20.2
WKP124D	465	142.3	-20.4
WKP124D	468	142.3	-20.7
WKP124D	471	142.3	-20.8

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124D	474	142.2	-20.9
WKP124D	477	142.2	-21.2
WKP124D	480	142.2	-21.3
WKP124D	483	142.1	-21.6
WKP124D	486	142.1	-21.8
WKP124D	489	142.0	-22.1
WKP124D	492	142.1	-22.1
WKP124D	495	142.1	-22.1
WKP124D	498	142.0	-22.1
WKP124D	501	142.0	-22.4
WKP124D	504	142.0	-22.5
WKP124D	507	142.1	-22.5
WKP124D	510	142.1	-22.3
WKP124D	513	142.1	-22.4
WKP124D	516	142.0	-22.4
WKP124D	519	142.0	-22.4
WKP124D	522	142.0	-22.4
WKP124D	525	141.9	-22.6
WKP124D	528	141.9	-22.6
WKP124D	531	141.8	-22.6
WKP124D	534	141.8	-22.6
WKP124D	537	141.8	-22.6
WKP124D	540	141.8	-22.6
WKP124D	543	141.7	-22.5
WKP124D	546	141.8	-22.5
WKP124D	549	141.7	-22.4
WKP124D	552	141.8	-22.3
WKP124D	555	141.8	-22.4
WKP124D	558	141.8	-22.2
WKP124D	561	141.6	-22.5
WKP124D	564	141.6	-22.6
WKP124D	567	141.7	-22.7
WKP124D	570	141.7	-22.8
WKP124D	573	141.7	-23.1
WKP124D	576	141.7	-23.0
WKP124D	579	141.8	-23.1
WKP124D	582	141.8	-23.2
WKP124D	585	141.9	-23.2
WKP124D	588	141.9	-23.2
WKP124D	591	141.8	-23.2
WKP124D	594	141.8	-23.4
WKP124D	597	141.8	-23.6
WKP124D	600	141.9	-23.5
WKP124D	603	141.8	-23.7
WKP124D	606	141.8	-23.8
WKP124D	609	141.8	-23.8
WKP124D	612	141.7	-23.8
WKP124D	615	141.7	-23.7

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124D	618	141.7	-23.7
WKP124D	621	141.7	-23.7
WKP124D	624	141.8	-23.7
WKP124D	627	141.8	-23.7
WKP124D	630	141.7	-23.8
WKP124D	633	141.7	-23.8
WKP133C	0	156.0	-44.7
WKP133C	3	156.2	-44.1
WKP133C	6	156.2	-43.9
WKP133C	9	156.1	-44.2
WKP133C	12	156.1	-44.4
WKP133C	15	156.1	-44.4
WKP133C	18	156.1	-44.5
WKP133C	21	156.2	-44.5
WKP133C	24	156.2	-44.5
WKP133C	27	156.2	-44.6
WKP133C	30	156.2	-44.7
WKP133C	33	156.3	-44.8
WKP133C	36	156.3	-44.8
WKP133C	39	156.3	-44.8
WKP133C	42	156.3	-44.9
WKP133C	45	156.2	-44.9
WKP133C	48	156.2	-45.0
WKP133C	51	156.2	-45.0
WKP133C	54	156.2	-45.0
WKP133C	57	156.2	-45.0
WKP133C	60	156.1	-45.0
WKP133C	63	156.2	-45.1
WKP133C	66	156.2	-45.1
WKP133C	69	156.1	-45.1
WKP133C	72	156.0	-45.0
WKP133C	75	156.0	-45.0
WKP133C	78	156.0	-45.0
WKP133C	81	156.0	-45.0
WKP133C	84	156.0	-45.0
WKP133C	87	156.0	-45.0
WKP133C	90	156.1	-45.0
WKP133C	93	156.1	-45.0
WKP133C	96	156.2	-45.0
WKP133C	99	156.2	-44.9
WKP133C	102	156.2	-44.9
WKP133C	105	156.3	-44.9
WKP133C	108	156.3	-44.9
WKP133C	111	156.4	-44.9
WKP133C	114	156.4	-44.9
WKP133C	117	156.5	-44.9
WKP133C	120	156.6	-45.4
WKP133C	123	156.8	-46.2

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP133C	126	156.9	-46.5
WKP133C	129	156.9	-46.5
WKP133C	132	157.0	-46.4
WKP133C	135	157.3	-46.3
WKP133C	138	158.0	-46.2
WKP133C	141	158.6	-46.2
WKP133C	144	159.0	-46.2
WKP133C	147	159.1	-46.2
WKP133C	150	158.9	-46.1
WKP133C	153	158.8	-46.1
WKP133C	156	158.7	-46.1
WKP133C	159	158.7	-46.0
WKP133C	162	158.6	-45.9
WKP133C	165	158.4	-45.9
WKP133C	168	158.2	-45.7
WKP133C	171	158.0	-45.5
WKP133C	174	157.8	-45.4
WKP133C	177	157.7	-45.5
WKP133C	180	157.6	-45.4
WKP133C	183	157.7	-45.2
WKP133C	186	158.0	-44.7
WKP133C	189	158.1	-45.0
WKP133C	192	158.1	-44.9
WKP133C	195	158.2	-45.2
WKP133C	198	158.2	-45.9
WKP133C	201	158.2	-46.0
WKP133C	204	158.9	-46.9
WKP133C	207	159.5	-48.0
WKP133C	210	159.4	-48.3
WKP133C	213	159.8	-48.7
WKP133C	216	160.9	-49.5
WKP133C	219	161.7	-49.8
WKP133C	222	162.0	-49.7
WKP133C	225	162.1	-49.5
WKP133C	228	162.1	-49.4
WKP133C	231	162.1	-49.3
WKP133C	234	162.1	-49.2
WKP133C	237	162.0	-49.1
WKP133C	240	162.0	-49.0
WKP133C	243	162.0	-48.8
WKP133C	246	162.0	-48.7
WKP133C	249	162.0	-48.6
WKP133C	252	161.9	-48.5
WKP133C	255	161.9	-48.4
WKP133C	258	161.9	-48.3
WKP133C	261	161.8	-48.2
WKP133C	264	161.8	-48.1
WKP133C	267	161.7	-48.0

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP133C	270	161.8	-47.9
WKP133C	273	161.8	-47.8
WKP133C	276	161.7	-47.7
WKP133C	279	161.7	-47.6
WKP133C	282	161.6	-47.4
WKP133C	285	161.6	-47.3
WKP133C	288	161.4	-47.2
WKP133C	291	161.4	-47.2
WKP133C	294	161.2	-47.0
WKP133C	297	161.2	-46.9
WKP133C	300	161.2	-46.8
WKP133C	303	161.1	-46.7
WKP133C	306	161.1	-46.6
WKP133C	309	161.1	-46.5
WKP133C	312	161.1	-46.3
WKP133C	315	161.1	-46.2
WKP133C	318	161.0	-46.1
WKP133C	321	161.1	-46.0
WKP133C	324	161.0	-45.8
WKP133C	327	161.1	-45.7
WKP133C	330	161.0	-45.6
WKP133C	333	160.9	-45.6
WKP133C	336	160.8	-45.6
WKP133C	339	160.9	-45.6
WKP133C	342	160.8	-45.6
WKP133C	345	160.8	-45.5
WKP133C	348	160.8	-45.5
WKP133C	351	160.7	-45.6
WKP133C	354	160.7	-45.6
WKP133C	357	160.7	-45.4
WKP133C	360	160.6	-45.3
WKP133C	363	160.6	-45.3
WKP133C	366	160.6	-45.1
WKP133C	369	160.7	-45.0
WKP133C	372	160.7	-44.9
WKP133C	375	160.7	-44.9
WKP133C	378	160.6	-44.8
WKP133C	381	160.5	-44.7
WKP133C	384	160.5	-44.6
WKP133C	387	160.5	-44.5
WKP133C	390	160.4	-44.4
WKP133C	393	160.4	-44.3
WKP133C	396	160.3	-44.2
WKP133C	399	160.4	-44.1
WKP133C	402	160.4	-44.0
WKP133C	405	160.2	-43.8
WKP133C	408	160.3	-43.7
WKP133C	411	160.3	-43.6

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP133C	414	160.3	-43.5
WKP133C	417	160.3	-43.5
WKP133C	420	160.3	-43.4
WKP133C	423	160.4	-43.2
WKP133C	426	160.5	-43.1
WKP133C	429	160.6	-43.2
WKP133C	432	160.5	-43.2
WKP133C	435	160.5	-43.2
WKP133C	438	160.5	-43.1
WKP133C	441	160.5	-43.1
WKP133C	444	160.5	-43.1
WKP133C	447	160.5	-43.1
WKP133C	450	160.3	-43.1
WKP133C	453	160.3	-43.0
WKP133C	456	160.4	-43.2
WKP133C	459	160.4	-43.2
WKP133C	462	160.4	-43.2
WKP133C	465	160.2	-43.3
WKP133C	468	160.4	-43.3
WKP133C	471	160.4	-43.5
WKP133C	474	160.2	-43.4
WKP133C	477	160.1	-43.5
WKP133C	480	160.2	-43.4
WKP133C	483	160.2	-43.5
WKP133C	486	160.3	-43.6
WKP133C	489	160.2	-43.6
WKP133C	492	160.2	-43.6
WKP133C	495	160.2	-43.5
WKP133C	498	160.2	-43.5
WKP133C	501	160.3	-43.6
WKP133C	504	160.1	-43.5
WKP133C	507	160.2	-43.3
WKP133C	510	160.3	-43.4
WKP133C	513	160.4	-43.4
WKP133C	516	160.3	-43.4
WKP133C	519	160.3	-43.4
WKP133C	522	160.3	-43.3
WKP133C	525	160.3	-43.4
WKP133C	528	160.3	-43.4
WKP133C	531	160.3	-43.4
WKP133C	534	160.3	-43.4
WKP133C	536.04	160.3	-43.4
WKP134	0	89.9	-55.0
WKP134	3	89.6	-54.7
WKP134	6	89.2	-54.6
WKP134	9	88.8	-54.6
WKP134	12	88.6	-54.6
WKP134	15	88.4	-54.4

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP134	18	88.3	-54.5
WKP134	21	88.3	-54.7
WKP134	24	88.4	-54.8
WKP134	27	88.5	-54.7
WKP134	30	88.6	-54.6
WKP134	33	88.5	-54.5
WKP134	36	88.5	-54.6
WKP134	39	88.5	-54.8
WKP134	42	88.5	-54.9
WKP134	45	88.5	-54.9
WKP134	48	88.5	-54.8
WKP134	51	88.4	-54.8
WKP134	54	88.3	-54.8
WKP134	57	88.3	-55.0
WKP134	60	88.2	-55.1
WKP134	63	88.2	-55.1
WKP134	66	88.1	-55.1
WKP134	69	88.1	-55.2
WKP134	72	88.0	-55.4
WKP134	75	88.0	-55.5
WKP134	78	87.9	-55.5
WKP134	81	87.9	-55.4
WKP134	84	87.8	-55.5
WKP134	87	87.7	-55.6
WKP134	90	87.7	-55.6
WKP134	93	87.5	-55.6
WKP134	96	87.4	-55.6
WKP134	99	87.4	-55.6
WKP134	102	87.3	-55.6
WKP134	105	87.2	-55.7
WKP134	108	87.1	-55.7
WKP134	111	87.1	-55.7
WKP134	114	87.0	-55.6
WKP134	117	86.9	-55.7
WKP134	120	86.9	-55.7
WKP134	123	86.9	-55.7
WKP134	126	86.8	-55.8
WKP134	129	86.9	-55.8
WKP134	132	86.8	-55.8
WKP134	135	86.8	-55.8
WKP134	138	86.7	-55.8
WKP134	141	86.8	-55.7
WKP134	144	86.7	-55.7
WKP134	147	86.7	-55.8
WKP134	150	86.6	-55.9
WKP134	153	86.6	-55.9
WKP134	156	86.6	-55.9
WKP134	159	86.5	-56.1

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP134	162	86.5	-56.1
WKP134	165	86.4	-56.2
WKP134	168	86.4	-56.1
WKP134	171	86.4	-56.1
WKP134	174	86.5	-56.1
WKP134	177	86.5	-56.0
WKP134	180	86.5	-56.0
WKP134	183	86.5	-56.2
WKP134	186	86.6	-56.2
WKP134	189	86.7	-56.2
WKP134	192	86.6	-56.3
WKP134	195	86.7	-56.5
WKP134	198	86.7	-56.6
WKP134	201	86.7	-56.7
WKP134	204	86.8	-56.8
WKP134	207	86.8	-56.9
WKP134	210	86.9	-57.0
WKP134	213	86.8	-57.2
WKP134	216	86.9	-57.4
WKP134	219	86.8	-57.4
WKP134	222	86.8	-57.4
WKP134	225	86.7	-57.4
WKP134	228	86.5	-57.5
WKP134	231	86.5	-57.7
WKP134	234	86.5	-57.7
WKP134	237	86.6	-57.8
WKP134	240	86.6	-57.8
WKP134	243	86.6	-57.9
WKP134	246	86.6	-58.1
WKP134	249	86.6	-58.2
WKP134	252	86.7	-58.4
WKP134	255	86.7	-58.5
WKP134	258	86.7	-58.5
WKP134	261	86.7	-58.5
WKP134	264	86.8	-58.6
WKP134	267	86.6	-58.7
WKP134	270	86.6	-58.8
WKP134	273	86.6	-58.9
WKP134	276	86.6	-58.9
WKP134	279	86.6	-59.1
WKP134	282	86.5	-59.2
WKP134	285	86.6	-59.4
WKP134	288	86.4	-59.5
WKP134	291	86.4	-59.6
WKP134	294	86.4	-59.8
WKP134	297	86.4	-59.9
WKP134	300	86.4	-60.0
WKP134	303	86.4	-60.0

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP134	306	86.3	-60.0
WKP134	309	86.2	-60.2
WKP134	312	86.2	-60.3
WKP134	315	86.0	-60.4
WKP134	318	85.9	-60.4
WKP134	321	85.9	-60.4
WKP134	324	85.8	-60.4
WKP134	327	85.9	-60.4
WKP134	330	85.9	-60.4
WKP134	333	85.9	-60.3
WKP134	336	85.8	-60.2
WKP134	339	85.9	-60.2
WKP134	342	85.8	-60.2
WKP134	345	85.8	-60.2
WKP134	348	85.8	-60.2
WKP134	351	85.9	-60.1
WKP134	354	85.9	-60.1
WKP134	357	85.9	-60.1
WKP134	360	85.9	-60.1
WKP134	363	86.0	-60.1
WKP134	366	85.9	-60.1
WKP134	369	86.0	-60.1
WKP134	372	85.9	-60.1
WKP134	375	85.9	-60.1
WKP134	378	85.8	-60.1
WKP134	381	85.8	-60.1
WKP134	384	85.7	-60.1
WKP134	387	85.6	-60.1
WKP134	390	85.5	-60.1
WKP134	393	85.5	-60.2
WKP134	396	85.3	-60.2
WKP134	399	85.2	-60.2
WKP134	402	85.1	-60.2
WKP134	405	84.8	-60.1
WKP134	408	84.8	-60.0
WKP134	411	84.6	-60.0
WKP134	414	84.5	-60.0
WKP134	417	84.7	-59.9
WKP134	420	84.6	-60.0
WKP134	423	84.6	-59.9
WKP134	426	84.5	-59.9
WKP134	429	84.3	-59.8
WKP134	432	84.3	-59.8
WKP134	435	84.0	-59.8
WKP134	438	83.8	-59.6
WKP134	441	83.5	-59.3
WKP134	444	83.4	-58.9
WKP134	447	83.3	-58.8

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP134	450	83.1	-58.9
WKP134	452.02	83.1	-59.0
WKP134A	0	89.9	-55.0
WKP134A	3	89.6	-54.7
WKP134A	6	89.2	-54.6
WKP134A	9	88.8	-54.6
WKP134A	12	88.6	-54.6
WKP134A	15	88.4	-54.4
WKP134A	18	88.3	-54.5
WKP134A	21	88.3	-54.7
WKP134A	24	88.4	-54.8
WKP134A	27	88.5	-54.7
WKP134A	30	88.6	-54.6
WKP134A	33	88.5	-54.5
WKP134A	36	88.5	-54.6
WKP134A	39	88.5	-54.8
WKP134A	42	88.5	-54.9
WKP134A	45	88.5	-54.9
WKP134A	48	88.5	-54.8
WKP134A	51	88.4	-54.8
WKP134A	54	88.3	-54.8
WKP134A	57	88.3	-55.0
WKP134A	60	88.2	-55.1
WKP134A	63	88.2	-55.1
WKP134A	66	88.1	-55.1
WKP134A	69	88.1	-55.2
WKP134A	72	88.0	-55.4
WKP134A	75	88.0	-55.5
WKP134A	78	87.9	-55.5
WKP134A	81	87.9	-55.4
WKP134A	84	87.8	-55.5
WKP134A	87	87.7	-55.6
WKP134A	90	87.7	-55.6
WKP134A	93	87.5	-55.6
WKP134A	96	87.4	-55.6
WKP134A	99	87.4	-55.6
WKP134A	102	87.3	-55.6
WKP134A	105	87.2	-55.7
WKP134A	108	87.1	-55.7
WKP134A	111	87.1	-55.7
WKP134A	114	87.0	-55.6
WKP134A	117	86.9	-55.7
WKP134A	120	86.9	-55.7
WKP134A	123	86.9	-55.7
WKP134A	126	86.8	-55.8
WKP134A	129	86.9	-55.8
WKP134A	132	86.8	-55.8
WKP134A	135	86.8	-55.8

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP134A	138	86.7	-55.8
WKP134A	141	86.8	-55.7
WKP134A	144	86.7	-55.7
WKP134A	147	86.7	-55.8
WKP134A	150	86.6	-55.9
WKP134A	153	86.6	-55.9
WKP134A	156	86.6	-55.9
WKP134A	159	86.7	-55.1
WKP134A	162	86.6	-54.8
WKP134A	165	86.5	-54.9
WKP134A	168	86.5	-55.1
WKP134A	171	86.5	-55.1
WKP134A	174	86.3	-55.1
WKP134A	177	86.3	-55.1
WKP134A	180	86.3	-55.0
WKP134A	183	86.5	-55.0
WKP134A	186	86.5	-54.9
WKP134A	189	86.4	-54.8
WKP134A	192	86.2	-54.6
WKP134A	195	85.9	-54.4
WKP134A	198	86.0	-54.1
WKP134A	201	86.6	-53.6
WKP134A	204	87.2	-52.9
WKP134A	207	87.5	-52.2
WKP134A	210	87.5	-51.6
WKP134A	213	87.5	-50.9
WKP134A	216	87.6	-50.4
WKP134A	219	87.6	-49.9
WKP134A	222	87.5	-49.3
WKP134A	225	87.4	-49.0
WKP134A	228	87.3	-49.0
WKP134A	231	87.4	-49.1
WKP134A	234	87.7	-48.9
WKP134A	237	88.4	-48.6
WKP134A	240	89.2	-48.1
WKP134A	243	89.8	-47.7
WKP134A	246	90.1	-47.0
WKP134A	249	90.4	-46.2
WKP134A	252	90.6	-45.4
WKP134A	255	90.6	-44.6
WKP134A	258	90.5	-43.9
WKP134A	261	90.4	-43.1
WKP134A	264	90.3	-42.2
WKP134A	267	90.2	-41.9
WKP134A	270	90.2	-42.0
WKP134A	273	90.1	-42.2
WKP134A	276	90.2	-42.4
WKP134A	279	90.2	-42.5

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP134A	282	90.1	-42.7
WKP134A	285	90.0	-42.8
WKP134A	288	89.9	-42.9
WKP134A	291	90.0	-43.1
WKP134A	294	89.8	-43.3
WKP134A	297	89.8	-43.5
WKP134A	300	89.7	-43.5
WKP134A	303	89.6	-43.6
WKP134A	306	89.5	-43.8
WKP134A	309	89.4	-44.0
WKP134A	312	89.4	-43.9
WKP134A	315	89.3	-44.0
WKP134A	318	89.3	-44.1
WKP134A	321	89.3	-44.3
WKP134A	324	89.2	-44.4
WKP134A	327	89.2	-44.5
WKP134A	330	89.2	-44.6
WKP134A	333	89.3	-44.7
WKP134A	336	89.2	-44.8
WKP134A	339	89.1	-44.9
WKP134A	342	89.1	-44.9
WKP134A	345	89.0	-44.9
WKP134A	348	89.1	-44.9
WKP134A	351	89.1	-45.0
WKP134A	354	89.1	-44.9
WKP134A	357	89.2	-44.8
WKP134A	360	89.2	-44.8
WKP134A	363	89.3	-44.6
WKP134A	366	89.4	-44.5
WKP134A	369	89.5	-44.5
WKP134A	372	89.5	-44.4
WKP134A	375	89.4	-44.4
WKP134A	378	89.4	-44.4
WKP134A	381	89.3	-44.4
WKP134A	384	89.2	-44.4
WKP134A	387	89.1	-44.4
WKP134A	390	89.1	-44.4
WKP134A	393	88.9	-44.3
WKP134A	396	88.8	-44.3
WKP134A	399	88.8	-44.4
WKP134A	402	88.8	-44.4
WKP134A	405	88.6	-44.3
WKP134A	408	88.5	-44.4
WKP134A	411	88.4	-44.3
WKP134A	414	88.3	-44.3
WKP134A	417	88.4	-44.3
WKP134A	420	88.5	-44.3
WKP134A	423	88.5	-44.2

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP134A	426	88.5	-44.1
WKP134A	429	88.6	-44.1
WKP134A	432	88.4	-44.2
WKP134A	435	88.3	-44.2
WKP134A	438	88.3	-44.2
WKP134A	441	88.2	-44.3
WKP134A	444	88.3	-44.3
WKP134A	447	88.3	-44.3
WKP134A	450	88.3	-44.3
WKP134A	453	88.3	-44.3
WKP134A	456	88.2	-44.2
WKP134A	459	88.0	-44.2
WKP134A	462	87.9	-44.4
WKP134A	465	88.0	-44.3
WKP134A	468	88.0	-44.4
WKP134A	471	88.0	-44.2
WKP134A	474	87.9	-44.0
WKP134A	477	87.9	-44.0
WKP134A	480	87.7	-44.0
WKPP15D	0	162.0	-59.9
WKPP15D	3	162.1	-59.6
WKPP15D	6	162.1	-59.2
WKPP15D	9	162.0	-58.9
WKPP15D	12	161.9	-59.0
WKPP15D	15	161.7	-59.2
WKPP15D	18	161.8	-59.4
WKPP15D	21	161.9	-59.4
WKPP15D	24	161.9	-59.4
WKPP15D	27	161.8	-59.4
WKPP15D	30	161.8	-59.4
WKPP15D	33	161.8	-59.4
WKPP15D	36	161.8	-59.5
WKPP15D	39	162.0	-59.5
WKPP15D	42	162.1	-59.6
WKPP15D	45	162.1	-59.6
WKPP15D	48	162.2	-59.6
WKPP15D	51	162.3	-59.6
WKPP15D	54	162.3	-59.5
WKPP15D	57	162.2	-59.4
WKPP15D	60	162.1	-59.4
WKPP15D	63	162.2	-59.4
WKPP15D	66	162.2	-59.4
WKPP15D	69	162.3	-59.5
WKPP15D	72	162.3	-59.6
WKPP15D	75	162.2	-59.5
WKPP15D	78	162.3	-59.5
WKPP15D	81	162.2	-59.6
WKPP15D	84	162.2	-59.6

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKPP15D	87	162.2	-59.7
WKPP15D	90	162.1	-59.7
WKPP15D	93	162.2	-59.7
WKPP15D	96	162.2	-59.7
WKPP15D	99	162.1	-59.8
WKPP15D	102	162.1	-59.9
WKPP15D	105	162.0	-59.9
WKPP15D	108	162.1	-59.9
WKPP15D	111	162.0	-60.0
WKPP15D	114	162.1	-60.0
WKPP15D	117	162.1	-60.1
WKPP15D	120	162.1	-60.0
WKPP15D	123	162.1	-59.9
WKPP15D	126	162.2	-59.8
WKPP15D	129	162.3	-59.7
WKPP15D	132	162.2	-59.5
WKPP15D	135	162.4	-59.5
WKPP15D	138	162.2	-59.4
WKPP15D	141	162.3	-59.3
WKPP15D	144	162.4	-59.2
WKPP15D	147	162.3	-59.1
WKPP15D	150	162.3	-59.0
WKPP15D	153	162.4	-59.1
WKPP15D	156	162.2	-59.0
WKPP15D	159	162.3	-58.8
WKPP15D	162	162.3	-58.8
WKPP15D	165	162.4	-58.7
WKPP15D	168	162.3	-58.6
WKPP15D	171	162.5	-58.6
WKPP15D	174	162.5	-58.4
WKPP15D	177	162.7	-58.4
WKPP15D	180	162.6	-58.2
WKPP15D	183	162.6	-58.2
WKPP15D	186	162.7	-58.2
WKPP15D	189	162.7	-58.0
WKPP15D	192	162.9	-57.8
WKPP15D	195	162.8	-57.7
WKPP15D	198	162.8	-57.7
WKPP15D	201	162.8	-57.6
WKPP15D	204	162.9	-57.5
WKPP15D	207	162.8	-57.3
WKPP15D	210	163.0	-57.2
WKPP15D	213	162.9	-57.0
WKPP15D	216	163.0	-57.0
WKPP15D	219	163.0	-57.0
WKPP15D	222	162.9	-56.8
WKPP15D	225	162.9	-56.7
WKPP15D	228	162.9	-56.5

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKPP15D	231	162.8	-56.4
WKPP15D	234	162.9	-56.4
WKPP15D	237	162.9	-56.2
WKPP15D	240	162.7	-56.3
WKPP15D	243	162.8	-56.3
WKPP15D	246	162.6	-56.2
WKPP15D	249	162.7	-56.2
WKPP15D	252	162.9	-56.1
WKPP15D	255	162.8	-55.9
WKPP15D	258	162.8	-55.9
WKPP15D	261	162.8	-55.7
WKPP15D	264	162.8	-55.8
WKPP15D	267	162.6	-55.8
WKPP15D	270	162.7	-55.9
WKPP15D	271.68	162.6	-55.8