

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP132A	0	81	-46
WKP132A	3	80.81	-45.5
WKP132A	6	80.44	-45
WKP132A	9	80.26	-44.7
WKP132A	12	80.09	-44.5
WKP132A	15	79.83	-44.7
WKP132A	18	79.61	-45
WKP132A	21	79.5	-45
WKP132A	24	79.47	-45
WKP132A	27	79.4	-45
WKP132A	30	79.27	-45
WKP132A	33	79.16	-45.1
WKP132A	36	78.98	-45.1
WKP132A	39	78.79	-45.1
WKP132A	42	78.62	-45.2
WKP132A	45	78.49	-45.1
WKP132A	48	78.41	-45.1
WKP132A	51	78.34	-45.1
WKP132A	54	78.36	-45.3
WKP132A	57	78.37	-45.7
WKP132A	60	78.32	-45.8
WKP132A	63	78.3	-45.8
WKP132A	66	78.16	-45.8
WKP132A	69	78.07	-45.9
WKP132A	72	77.96	-45.9
WKP132A	75	77.88	-45.9
WKP132A	78	77.85	-46
WKP132A	81	77.81	-46
WKP132A	84	77.75	-45.9
WKP132A	87	77.78	-45.9
WKP132A	90	77.76	-46
WKP132A	93	77.77	-46.3
WKP132A	96	77.68	-46.4
WKP132A	99	77.66	-46.4
WKP132A	102	77.68	-46.6
WKP132A	105	77.63	-46.6
WKP132A	108	77.54	-46.6
WKP132A	111	77.54	-46.7
WKP132A	114	77.56	-46.8
WKP132A	117	77.57	-46.9
WKP132A	120	77.54	-47
WKP132A	123	77.53	-47
WKP132A	126	77.62	-47.2
WKP132A	129	77.5	-47.3
WKP132A	132	77.48	-47.4

WKP132A	135	77.42	-47.4
WKP132A	138	77.43	-47.5
WKP132A	141	77.4	-47.6
WKP132A	144	77.38	-47.5
WKP132A	147	77.32	-47.5
WKP132A	150	77.27	-47.5
WKP132A	153	77.27	-47.6
WKP132A	156	77.24	-47.7
WKP132A	159	77.23	-47.7
WKP132A	162	77.17	-47.8
WKP132A	165	77.17	-47.9
WKP132A	168	77.16	-47.9
WKP132A	171	77.17	-48
WKP132A	174	77.13	-48.1
WKP132A	177	77.13	-48.2
WKP132A	180	77.02	-48.3
WKP132A	183	77.07	-48.3
WKP132A	186	77.22	-48.3
WKP132A	189	77.58	-48.2
WKP132A	192	77.98	-48.4
WKP132A	195	78.34	-48.8
WKP132A	198	78.53	-49
WKP132A	201	78.66	-48.6
WKP132A	204	78.79	-47.9
WKP132A	207	78.99	-47.3
WKP132A	210	79.33	-47
WKP132A	213	79.76	-47.2
WKP132A	216	80.06	-47.4
WKP132A	219	80.47	-47.7
WKP132A	222	80.83	-48
WKP132A	225	81.18	-48.3
WKP132A	228	81.42	-48.6
WKP132A	231	81.33	-49.1
WKP132A	234	80.85	-49.4
WKP132A	237	80.32	-49.6
WKP132A	240	80.06	-49.6
WKP132A	243	79.96	-49.6
WKP132A	246	79.95	-49.2
WKP132A	249	79.87	-48.6
WKP132A	252	79.61	-48.2
WKP132A	255	79.3	-47.7
WKP132A	258	79.04	-47.2
WKP132A	261	78.86	-46.9
WKP132A	264	78.74	-46.8
WKP132A	267	78.59	-46.7
WKP132A	270	78.48	-46.5
WKP132A	273	78.38	-46.3
WKP132A	276	78.3	-46

WKP132A	279	78.06	-45.7
WKP132A	282	77.88	-45.3
WKP132A	285	77.66	-44.9
WKP132A	288	77.48	-44.4
WKP132A	291	77.43	-43.9
WKP132A	294	77.43	-43.4
WKP132A	297	77.77	-42.9
WKP132A	300	78.01	-42.8
WKP132A	303	78.11	-42.9
WKP132A	306	78.08	-43.1
WKP132A	309	78.03	-42.9
WKP132A	312	78.06	-42.8
WKP132A	315	78.02	-42.7
WKP132A	318	78.19	-42.2
WKP132A	321	78.48	-41.5
WKP132A	324	78.91	-40.7
WKP132A	327	79.3	-40
WKP132A	330	79.44	-39.7
WKP132A	333	79.11	-39.6
WKP132A	336	78.28	-39.1
WKP132A	339	77.65	-38.7
WKP132A	342	77.48	-38.5
WKP132A	345	77.53	-38.1
WKP132A	348	77.79	-37.5
WKP132A	351	78.1	-37.3
WKP132A	354	78.46	-37.2
WKP132A	357	78.9	-37.1
WKP132A	360	79.24	-37
WKP132A	363	79.44	-36.8
WKP132A	366	79.75	-36.6
WKP132A	369	80.19	-36.4
WKP132A	372	80.9	-36.1
WKP132A	375	81.72	-35.5
WKP132A	378	82.43	-34.4
WKP132A	381	82.74	-33.8
WKP132A	384	82.68	-33.7
WKP132A	387	82.66	-33.8
WKP132A	390	82.63	-33.8
WKP132A	393	82.65	-33.8
WKP132A	396	82.62	-33.8
WKP132A	399	82.59	-33.8
WKP132A	402	82.59	-33.7
WKP132A	405	82.56	-33.8
WKP132A	408	82.57	-33.7
WKP132A	411	82.54	-33.7
WKP132A	414	82.47	-33.8
WKP132A	417	82.49	-33.7
WKP132A	420	82.45	-33.7

WKP132A	423	82.44	-33.6
WKP132A	426	82.49	-33.6
WKP132A	429	82.46	-33.6
WKP132A	432	82.52	-33.6
WKP132A	435	82.4	-33.6
WKP132A	438	82.42	-33.6
WKP132A	441	82.35	-33.5
WKP132A	444	82.34	-33.5
WKP132A	447	82.28	-33.5
WKP132A	450	82.18	-33.4
WKP132A	453	82.21	-33.3
WKP132A	456	82.27	-33.3
WKP132A	459	82.24	-33.4
WKP132A	462	82.27	-33.4
WKP132A	465	82.36	-33.4
WKP132A	468	82.44	-33.4
WKP132A	471	82.39	-33.3
WKP132A	474	82.33	-33.3
WKP132A	477	82.17	-33.2
WKP132A	480	82.18	-33.2
WKP132A	483	82.3	-33.1
WKP132A	486	82.44	-33
WKP132A	489	82.34	-33.1
WKP132A	492	82.31	-33
WKP132A	495	82.15	-32.9
WKP132A	498	81.93	-33
WKP132A	501	81.8	-33
WKP132A	504	81.78	-32.9
WKP132A	507	81.81	-32.8
WKP132A	510	81.81	-32.8
WKP132A	513	81.76	-32.8
WKP132A	516	81.75	-32.7
WKP132A	519	81.72	-32.6
WKP132A	522	81.71	-32.5
WKP132A	525	81.69	-32.5
WKP132A	528	81.63	-32.4
WKP132A	531	81.62	-32.4
WKP132A	534	81.59	-32.3
WKP132A	537	81.61	-32.2
WKP132A	540	81.58	-32.2
WKP132A	543	81.54	-32.1
WKP132A	546	81.43	-32.1
WKP132A	549	81.27	-32.3
WKP132A	552	81.27	-32.3
WKP132A	555	81.24	-32.2
WKP132A	558	81.23	-32.2
WKP132A	561	81.26	-32.1
WKP132A	564	81.28	-32

WKP132A	567	81.35	-32
WKP132A	570	81.45	-32.1
WKP132A	573	81.45	-32.1
WKP132A	576	81.48	-32.2
WKP132A	579	81.37	-32.2
WKP132A	582	81.33	-32.1
WKP132A	585	81.16	-32
WKP132A	588	81.2	-32
WKP132A	591	81.22	-32
WKP132A	594	81.17	-32.2
WKP132A	597	81.26	-32.2
WKP132A	600	81.22	-32.3
WKP132A	603	81.24	-32.3
WKP135	0	103.17	-52.1
WKP135	3	103.03	-52
WKP135	6	102.8	-51.7
WKP135	9	102.59	-51.5
WKP135	12	102.49	-51.5
WKP135	15	102.16	-51.5
WKP135	18	102.01	-51.6
WKP135	21	101.8	-51.7
WKP135	24	101.6	-51.7
WKP135	27	101.57	-51.7
WKP135	30	101.62	-51.7
WKP135	33	101.71	-51.8
WKP135	36	101.77	-51.9
WKP135	39	102.04	-52
WKP135	42	102.22	-51.9
WKP135	45	102.36	-51.6
WKP135	48	102.47	-51.4
WKP135	51	102.49	-51.1
WKP135	54	102.37	-50.9
WKP135	57	102.29	-51.1
WKP135	60	102.17	-51.3
WKP135	63	102.13	-51.5
WKP135	66	102.13	-51.5
WKP135	69	102.13	-51.6
WKP135	72	102.03	-51.8
WKP135	75	101.92	-51.8
WKP135	78	101.91	-51.7
WKP135	81	101.79	-51.6
WKP135	84	101.71	-51.6
WKP135	87	101.63	-51.6
WKP135	90	101.49	-51.7
WKP135	93	101.46	-51.8
WKP135	96	101.46	-51.8
WKP135	99	101.43	-51.9
WKP135	102	101.41	-51.8

WKP135	105	101.42	-51.8
WKP135	108	101.43	-51.8
WKP135	111	101.33	-51.9
WKP135	114	101.29	-51.9
WKP135	117	101.26	-51.9
WKP135	120	101.16	-51.9
WKP135	123	101.13	-51.9
WKP135	126	101.08	-51.9
WKP135	129	101.05	-51.9
WKP135	132	101.02	-51.9
WKP135	135	100.93	-52
WKP135	138	100.84	-52.1
WKP135	141	100.81	-52.1
WKP135	144	100.74	-52.1
WKP135	147	100.7	-52
WKP135	150	100.64	-52.1
WKP135	153	100.59	-52.1
WKP135	156	100.56	-52.2
WKP135	159	100.46	-52.3
WKP135	162	100.49	-52.4
WKP135	165	100.39	-52.4
WKP135	168	100.33	-52.5
WKP135	171	100.24	-52.6
WKP135	174	100.2	-52.6
WKP135	177	100.16	-52.6
WKP135	180	100.15	-52.5
WKP135	183	100.15	-52.6
WKP135	186	100.06	-52.8
WKP135	189	100.13	-52.9
WKP135	192	100.17	-52.9
WKP135	195	100.16	-52.9
WKP135	198	100.13	-52.9
WKP135	201	100.16	-53
WKP135	204	100.14	-53.1
WKP135	207	100.05	-53.2
WKP135	210	99.99	-53.3
WKP135	213	99.87	-53.3
WKP135	216	99.83	-53.2
WKP135	219	99.73	-53.2
WKP135	222	99.68	-53.3
WKP135	225	99.65	-53.4
WKP135	228	99.58	-53.5
WKP135	231	99.51	-53.6
WKP135	234	99.5	-53.6
WKP135	237	99.51	-53.6
WKP135	240	99.48	-53.7
WKP135	243	99.42	-53.8
WKP135	246	99.46	-53.8

WKP135	249	99.49	-53.9
WKP135	252	99.51	-53.9
WKP135	255	99.31	-53.8
WKP135	258	99.04	-53.4
WKP135	261	98.68	-53.3
WKP135	264	98.29	-53.4
WKP135	267	97.99	-53.6
WKP135	270	97.84	-53.6
WKP135	273	97.71	-53.7
WKP135	276	97.64	-53.8
WKP135	279	97.5	-53.9
WKP135	282	97.36	-54
WKP135	285	97.36	-54.1
WKP135	288	97.28	-54.2
WKP135	291	97.23	-54.2
WKP135	294	97.19	-54.1
WKP135	297	97.11	-54
WKP135	300	97	-54
WKP135	303	96.94	-54.1
WKP135	306	96.86	-54.2
WKP135	309	96.74	-54.3
WKP135	312	96.7	-54.2
WKP135	315	96.59	-54.3
WKP135	318	96.5	-54.5
WKP135	321	96.4	-54.5
WKP135	324	96.19	-54.5
WKP135	327	96.07	-54.5
WKP135	330	96.02	-54.6
WKP135	333	95.97	-54.8
WKP135	336	95.84	-54.8
WKP135	339	95.83	-54.7
WKP135	342	95.85	-54.8
WKP135	345	95.78	-54.7
WKP135	348	95.62	-54.5
WKP135	351	95.4	-54.5
WKP135	354	95.27	-54.3
WKP135	357	95.27	-54.3
WKP135	360	95.18	-54.1
WKP135	363	95.05	-54.1
WKP135	366	94.99	-54
WKP135	369	94.94	-53.9
WKP135	372	94.84	-53.8
WKP135	375	94.83	-53.7
WKP135	378	94.9	-53.6
WKP135	381	94.91	-53.5
WKP135	384	94.76	-53.4
WKP135	387	94.75	-53.3
WKP135	390	94.79	-53.3

WKP135	393	94.84	-53.3
WKP135	396	94.81	-53.3
WKP135	399	94.74	-53.3
WKP135	402	94.75	-53.3
WKP135	405	94.66	-53.2
WKP135	408	94.7	-53.2
WKP135	411	94.69	-53.2
WKP135	414	94.65	-53.2
WKP135	417	94.58	-53.1
WKP135	420	94.5	-53.1
WKP135	423	94.47	-53.2
WKP135	426	94.34	-53.2
WKP135	429	94.26	-53.2
WKP135	432	94.02	-53.3
WKP135	435	93.99	-53.3
WKP135	438	94.06	-53.2
WKP135	441	94	-53.3
WKP135	444	93.99	-53.5
WKP135	447	94.03	-53.5
WKP135	450	94.18	-53.4
WKP135	453	94.14	-53.4
WKP135	456	94.13	-53.4
WKP135	459	94.19	-53.4
WKP135	462	94.16	-53.3
WKP135	465	93.94	-53.3
WKP135	468	93.67	-53.4
WKP135	471	93.61	-53.3
WKP135	474	93.7	-53.3
WKP135	477	93.72	-53.4
WKP135	480	93.67	-53.2
WKP135	483	93.53	-53.2
WKP135	486	93.57	-53.3
WKP135	489	93.53	-53.4
WKP135	492	93.58	-53.3
WKP135	495	93.62	-53.2
WKP135	498	93.66	-53.2
WKP135	501	93.76	-53.2
WKP135	504	93.74	-53.3
WKP135	507	93.86	-53.4
WKP135	510	93.93	-53.3
WKP135	513	93.92	-53.3
WKP135	516	93.84	-53.3
WKP135	519	93.77	-53.4
WKP135	522	93.77	-53.4
WKP135	525	93.77	-53.4
WKP135	528	93.81	-53.3
WKP135	531	93.79	-53.3
WKP135	534	93.79	-53.4

WKP135	537	93.75	-53.3
WKP135	540	93.54	-53.1
WKP135	543	93.44	-53.1
WKP136	0	159.5	-44.9
WKP136	3	159.55	-44.6
WKP136	6	159.57	-44.4
WKP136	9	159.6	-44.1
WKP136	12	159.65	-43.9
WKP136	15	159.66	-43.8
WKP136	18	159.67	-43.9
WKP136	21	159.67	-44.3
WKP136	24	159.61	-44.5
WKP136	27	159.6	-44.7
WKP136	30	159.57	-44.8
WKP136	33	159.48	-44.8
WKP136	36	159.55	-44.9
WKP136	39	159.58	-45
WKP136	42	159.62	-45.1
WKP136	45	159.64	-45.1
WKP136	48	159.59	-45.2
WKP136	51	159.62	-45.3
WKP136	54	159.63	-45.3
WKP136	57	159.59	-45.3
WKP136	60	159.68	-45.3
WKP136	63	159.71	-45.4
WKP136	66	159.76	-45.5
WKP136	69	159.7	-45.5
WKP136	72	159.63	-45.4
WKP136	75	159.54	-45.3
WKP136	78	159.49	-45.2
WKP136	81	159.53	-45.1
WKP136	84	159.47	-45
WKP136	87	159.49	-45
WKP136	90	159.5	-45
WKP136	93	159.48	-44.9
WKP136	96	159.54	-44.8
WKP136	99	159.54	-44.7
WKP136	102	159.51	-44.7
WKP136	105	159.56	-44.6
WKP136	108	159.56	-44.6
WKP136	111	159.52	-44.6
WKP136	114	159.62	-44.6
WKP136	117	159.57	-44.5
WKP136	120	159.59	-44.5
WKP136	123	159.64	-44.4
WKP136	126	159.66	-44.3
WKP136	129	159.65	-44.2
WKP136	132	159.71	-44.1

WKP136	135	159.69	-44.1
WKP136	138	159.7	-43.9
WKP136	141	159.75	-43.9
WKP136	144	159.71	-43.8
WKP136	147	159.74	-43.8
WKP136	150	159.75	-43.8
WKP136	153	159.77	-43.8
WKP136	156	159.8	-43.8
WKP136	159	159.82	-43.7
WKP136	162	159.78	-43.7
WKP136	165	159.8	-43.7
WKP136	168	159.79	-43.6
WKP136	171	159.82	-43.5
WKP136	174	159.82	-43.4
WKP136	177	159.84	-43.3
WKP136	180	159.87	-43.3
WKP136	183	159.87	-43.3
WKP136	186	159.92	-43.3
WKP136	189	159.9	-43.2
WKP136	192	159.93	-43.2
WKP136	195	159.94	-43.2
WKP136	198	159.91	-43.2
WKP136	201	159.85	-43.3
WKP136	204	159.79	-43.4
WKP136	207	159.8	-43.5
WKP136	210	159.78	-43.6
WKP136	213	159.79	-43.7
WKP136	216	159.86	-43.7
WKP136	219	159.85	-43.8
WKP136	222	159.85	-43.8
WKP136	225	159.87	-43.8
WKP136	228	159.87	-43.8
WKP136	231	159.91	-43.7
WKP136	234	160.01	-43.8
WKP136	237	160.04	-43.8
WKP136	240	160.06	-43.8
WKP136	243	160.09	-43.9
WKP136	246	160.06	-43.9
WKP136	249	160.03	-43.9
WKP136	252	160.02	-44.1
WKP136	255	159.99	-44.2
WKP136	258	159.92	-44.3
WKP136	261	159.9	-44.3
WKP136	264	159.92	-44.4
WKP136	267	159.95	-44.5
WKP136	270	159.94	-44.6
WKP136	273	159.93	-44.7
WKP136	276	159.95	-44.8

WKP136	279	159.93	-44.9
WKP136	282	159.89	-44.9
WKP136	285	159.82	-45
WKP136	288	159.83	-45
WKP136	291	159.76	-45.2
WKP136	294	159.77	-45.2
WKP136	297	159.65	-45.2
WKP136	300	159.59	-45.2
WKP136	303	159.54	-45
WKP136	306	159.68	-44.9
WKP136	309	159.77	-44.8
WKP136	312	159.75	-44.5
WKP136	315	159.68	-44
WKP136	318	159.62	-43.8
WKP136	321	159.48	-43.6
WKP136	324	159.07	-43.4
WKP136	327	158.5	-43.2
WKP136	330	157.75	-43
WKP136	333	157.31	-42.6
WKP136	336	157.2	-42.1
WKP136	339	157.54	-41
WKP136	342	158.16	-40.4
WKP136	345	158.52	-39.8
WKP136	348	158.89	-39.3
WKP136	351	159.02	-39
WKP136	354	159.1	-38.8
WKP136	357	159.21	-38.3
WKP136	360	159.32	-37.7
WKP136	363	159.39	-37.3
WKP136	366	159.62	-37
WKP136	369	159.94	-36.7
WKP136	372	160.48	-36
WKP136	375	161.49	-35.1
WKP136	378	162.33	-34.2
WKP136	381	163.08	-33.5
WKP136	384	163.63	-33
WKP136	387	164.23	-32.4
WKP136	390	164.78	-31.9
WKP136	393	165.29	-31.4
WKP136	396	165.75	-30.8
WKP136	399	166.21	-29.9
WKP136	402	166.78	-29.1
WKP136	405	167.41	-28.5
WKP136	408	168.06	-27.9
WKP136	411	168.59	-27.3
WKP136	414	169.08	-26.8
WKP136	417	169.3	-26.5
WKP136	420	169.45	-26.5

WKP136	423	169.48	-26.6
WKP136	426	169.45	-26.7
WKP136	429	169.45	-26.7
WKP136	432	169.39	-26.7
WKP136	435	169.4	-26.7
WKP136	438	169.36	-26.7
WKP136	441	169.42	-26.7
WKP136	444	169.37	-26.7
WKP136	447	169.42	-26.7
WKP136	450	169.39	-26.7
WKP136	453	169.4	-26.6
WKP136	456	169.38	-26.6
WKP136	459	169.37	-26.5
WKP136	462	169.4	-26.5
WKP136	465	169.43	-26.5
WKP136	468	169.48	-26.5
WKP136	471	169.49	-26.5
WKP136	474	169.52	-26.4
WKP136	477	169.47	-26.3
WKP136	480	169.49	-26.3
WKP136	483	169.39	-26.2
WKP136	486	169.39	-26.2
WKP136	489	169.38	-26.2
WKP136	492	169.32	-26.1
WKP136	495	169.3	-26.1
WKP136	498	169.32	-26.1
WKP136	501	169.32	-26.2
WKP136	504	169.35	-26.2
WKP136	507	169.26	-26.2
WKP136	510	169.28	-26.2
WKP136	513	169.23	-26.2
WKP136	516	169.13	-26.2
WKP136	519	169.19	-26.3
WKP136	522	169.11	-26.4
WKP136	525	169.15	-26.3
WKP136	528	169.13	-26.3
WKP136	531	169.15	-26.3
WKP136	534	169.15	-26.3
WKP136	537	169.15	-26.4
WKP136	540	169.05	-26.4
WKP136	543	169	-26.4
WKP136	546	169.06	-26.4
WKP136	549	169.02	-26.5
WKP136	552	169.14	-26.6
WKP136	555	169.17	-26.7
WKP136	558	169.13	-26.7
WKP136	561	169.09	-26.8
WKP136	564	169.14	-26.8

WKP136	567	169.1	-27
WKP136	570	169.17	-27.1
WKP136	573	169.17	-27.2
WKP136	576	169.14	-27.2
WKP136	579	168.97	-27.3
WKP136	582	169.11	-27.5
WKP136	585	169	-27.6
WKP136	588	169.07	-27.8
WKP136	591	169.05	-27.8
WKP136	594	168.97	-27.7
WKP136	597	169.03	-27.8
WKP136	600	168.96	-27.9
WKP136	603	168.95	-28
WKP136	606	168.95	-28.1
WKP136	609	169.1	-28.1
WKP136	612	169.14	-28.1
WKP136	615	169.13	-28
WKP136A	0	159.5	-44.9
WKP136A	3	159.55	-44.6
WKP136A	6	159.57	-44.4
WKP136A	9	159.6	-44.1
WKP136A	12	159.65	-43.9
WKP136A	15	159.66	-43.8
WKP136A	18	159.67	-43.9
WKP136A	21	159.67	-44.3
WKP136A	24	159.61	-44.5
WKP136A	27	159.6	-44.7
WKP136A	30	159.57	-44.8
WKP136A	33	159.48	-44.8
WKP136A	36	159.55	-44.9
WKP136A	39	159.58	-45
WKP136A	42	159.62	-45.1
WKP136A	45	159.64	-45.1
WKP136A	48	159.59	-45.2
WKP136A	51	159.62	-45.3
WKP136A	54	159.63	-45.3
WKP136A	57	159.59	-45.3
WKP136A	60	159.68	-45.3
WKP136A	63	159.71	-45.4
WKP136A	66	159.76	-45.5
WKP136A	69	159.7	-45.5
WKP136A	72	159.63	-45.4
WKP136A	75	159.54	-45.3
WKP136A	78	159.49	-45.2
WKP136A	81	159.53	-45.1
WKP136A	84	159.47	-45
WKP136A	87	159.49	-45
WKP136A	90	159.5	-45

WKP136A	93	159.48	-44.9
WKP136A	96	159.54	-44.8
WKP136A	99	159.54	-44.7
WKP136A	102	159.51	-44.7
WKP136A	105	159.56	-44.6
WKP136A	108	159.56	-44.6
WKP136A	111	159.52	-44.6
WKP136A	114	159.62	-44.6
WKP136A	117	159.57	-44.5
WKP136A	120	159.59	-44.5
WKP136A	123	159.64	-44.4
WKP136A	126	159.66	-44.3
WKP136A	129	159.65	-44.2
WKP136A	132	159.71	-44.1
WKP136A	135	159.69	-44.1
WKP136A	138	159.7	-43.9
WKP136A	141	159.75	-43.9
WKP136A	144	159.71	-43.8
WKP136A	147	159.74	-43.8
WKP136A	150	159.75	-43.8
WKP136A	153	159.77	-43.8
WKP136A	156	159.8	-43.8
WKP136A	159	159.82	-43.7
WKP136A	162	159.78	-43.7
WKP136A	165	159.8	-43.7
WKP136A	168	159.79	-43.6
WKP136A	171	159.82	-43.5
WKP136A	174	159.82	-43.4
WKP136A	177	159.84	-43.3
WKP136A	180	159.87	-43.3
WKP136A	183	159.87	-43.3
WKP136A	186	159.92	-43.3
WKP136A	189	159.9	-43.2
WKP136A	192	159.93	-43.2
WKP136A	195	159.94	-43.2
WKP136A	198	159.91	-43.2
WKP136A	201	159.85	-43.3
WKP136A	204	159.79	-43.4
WKP136A	207	159.8	-43.5
WKP136A	210	159.78	-43.6
WKP136A	213	159.79	-43.7
WKP136A	216	159.86	-43.7
WKP136A	219	159.85	-43.8
WKP136A	222	159.85	-43.8
WKP136A	225	159.87	-43.8
WKP136A	228	159.87	-43.8
WKP136A	231	159.91	-43.7
WKP136A	234	160.01	-43.8

WKP136A	237	160.04	-43.8
WKP136A	240	160.06	-43.8
WKP136A	243	160.09	-43.9
WKP136A	246	160.06	-43.9
WKP136A	249	160.03	-43.9
WKP136A	252	160.02	-44.1
WKP136A	255	159.99	-44.2
WKP136A	258	159.92	-44.3
WKP136A	261	159.9	-44.3
WKP136A	264	159.92	-44.4
WKP136A	267	159.95	-44.5
WKP136A	270	159.94	-44.6
WKP136A	273	159.93	-44.7
WKP136A	276	159.95	-44.8
WKP136A	279	159.93	-44.9
WKP136A	282	159.89	-44.9
WKP136A	285	159.82	-45
WKP136A	288	159.83	-45
WKP136A	291	159.76	-45.2
WKP136A	294	159.77	-45.2
WKP136A	297	159.65	-45.2
WKP136A	300	159.59	-45.2
WKP136A	303	159.54	-45
WKP136A	306	159.68	-44.9
WKP136A	309	159.77	-44.8
WKP136A	312	159.75	-44.5
WKP136A	315	159.68	-44
WKP136A	318	159.62	-43.8
WKP136A	321	159.48	-43.6
WKP136A	324	159.07	-43.4
WKP136A	327	158.5	-43.2
WKP136A	330	157.75	-43
WKP136A	333	157.31	-42.6
WKP136A	336	157.2	-42.1
WKP136A	339	157.3	-42.1
WKP136A	342	157.47	-42.3
WKP136A	345	157.52	-42.5
WKP136A	348	157.51	-42.6
WKP136A	351	157.62	-42.6
WKP136A	354	157.62	-42.7
WKP136A	357	157.51	-42.7
WKP136A	360	157.54	-42.7
WKP136A	363	157.46	-42.7
WKP136A	366	157.47	-42.7
WKP136A	369	157.42	-42.7
WKP136A	372	157.5	-42.7
WKP136A	375	157.59	-42.7
WKP136A	378	157.55	-42.7

WKP136A	381	157.59	-42.6
WKP136A	384	157.55	-42.6
WKP136A	387	157.55	-42.7
WKP136A	390	157.59	-42.6
WKP136A	393	157.61	-42.7
WKP136A	396	157.54	-42.6
WKP136A	399	157.59	-42.6
WKP136A	402	157.51	-42.5
WKP136A	405	157.6	-42.5
WKP136A	408	157.55	-42.5
WKP136A	411	157.58	-42.5
WKP136A	414	157.43	-42.5
WKP136A	417	157.42	-42.5
WKP136A	420	157.47	-42.5
WKP136A	423	157.33	-42.5
WKP136A	426	157.43	-42.4
WKP136A	429	157.34	-42.4
WKP136A	432	157.32	-42.4
WKP136A	435	157.29	-42.4
WKP136A	438	157.2	-42.4
WKP136A	441	157.18	-42.3
WKP136A	444	157.01	-42.2
WKP136A	447	156.94	-42.2
WKP136A	450	156.87	-42.2
WKP136A	453	156.92	-42.2
WKP136A	456	156.93	-42.1
WKP136A	459	156.89	-42.1
WKP136A	462	156.91	-42
WKP136A	465	156.93	-42
WKP136A	468	156.92	-41.9
WKP136A	471	157.01	-41.8
WKP136A	474	156.9	-41.7
WKP136A	477	156.9	-41.7
WKP136A	480	156.91	-41.6
WKP136A	483	156.83	-41.5
WKP136A	486	156.81	-41.5
WKP136A	489	156.79	-41.4
WKP136A	492	156.64	-41.3
WKP136A	495	156.68	-41.3
WKP136A	498	156.6	-41.2
WKP136A	501	156.63	-41
WKP136A	504	156.52	-41
WKP136A	507	156.51	-41
WKP136A	510	156.42	-40.8
WKP136A	513	156.35	-40.8
WKP136A	516	156.48	-40.7
WKP136A	519	156.31	-40.7
WKP136A	522	156.35	-40.7

WKP136A	525	156.47	-40.8
WKP136A	528	156.44	-40.8
WKP136A	531	156.51	-40.9
WKP136A	534	156.49	-41
WKP136A	537	156.65	-41
WKP136A	540	156.66	-41.1
WKP136A	543	156.73	-41.1
WKP136A	546	156.74	-41.1
WKP136A	549	156.75	-41.2
WKP136A	552	156.78	-41.3
WKP136A	555	156.74	-41.3
WKP136A	558	156.78	-41.4
WKP136A	561	156.84	-41.4
WKP136A	564	156.84	-41.4
WKP136A	567	156.9	-41.5
WKP136A	570	156.81	-41.5
WKP136A	573	156.81	-41.5
WKP136A	576	156.93	-41.6
WKP136A	579	156.91	-41.6
WKP136A	582	156.99	-41.7
WKP136A	585	156.96	-41.7
WKP136A	588	156.95	-41.9
WKP136A	591	156.96	-42
WKP136A	594	157	-42
WKP136A	597	157.17	-41.9
WKP136A	600	157.18	-41.8
WKP136A	600.57	157.18	-41.8
WKP01	0	140.47	-80.4
WKP01	3	140.26	-80.2
WKP01	6	140.6	-80.1
WKP01	9	141.08	-80
WKP01	12	141.29	-80
WKP01	15	141.23	-80.1
WKP01	18	141.48	-80
WKP01	21	141.41	-80
WKP01	24	141.78	-80
WKP01	27	141.95	-80.1
WKP01	30	142.14	-80.2
WKP01	33	142.39	-80.2
WKP01	36	142.45	-80.3
WKP01	39	143.21	-80.3
WKP01	42	143.15	-80.3
WKP01	45	143.35	-80.3
WKP01	48	143.47	-80.3
WKP01	51	143.64	-80.3
WKP01	54	144.34	-80.3
WKP01	57	144.88	-80.4
WKP01	60	145.27	-80.6

WKPBO1	63	145.42	-80.6
WKPBO1	66	144.95	-80.6
WKPBO1	69	145.05	-80.6
WKPBO1	72	144.79	-80.7
WKPBO1	75	144.56	-80.7
WKPBO1	78	144.5	-80.7
WKPBO1	81	144.57	-80.7
WKPBO1	84	144.27	-80.7
WKPBO1	87	144.71	-80.7
WKPBO1	90	144.31	-80.6
WKPBO1	93	144.51	-80.7
WKPBO1	96	144.6	-80.6
WKPBO1	99	144.54	-80.6
WKPBO1	102	144.45	-80.6
WKPBO1	105	144.58	-80.5
WKPBO1	108	144.57	-80.5
WKPBO1	111	144.56	-80.5
WKPBO1	114	144.63	-80.4
WKPBO1	117	144.39	-80.4
WKPBO1	120	144.48	-80.4
WKPBO1	123	144.38	-80.4
WKPBO1	126	144.04	-80.4
WKPBO1	129	143.92	-80.3
WKPBO1	132	144	-80.3
WKPBO1	135	143.95	-80.3
WKPBO1	138	143.63	-80.2
WKPBO1	141	143.51	-80.2
WKPBO1	144	143.42	-80.2
WKPBO1	147	143.42	-80.1
WKPBO1	150	143.25	-80.1
WKPBO1	153	143.02	-80.1
WKPBO1	156	143.22	-80
WKPBO1	159	143.28	-80
WKPBO1	162	143.27	-79.9
WKPBO1	165	143.51	-79.9
WKPBO1	168	143.64	-79.9
WKPBO1	171	143.81	-79.9
WKPBO1	174	143.5	-79.9
WKPBO1	177	143.67	-79.9
WKPBO1	180	143.31	-79.9
WKPBO1	183	143.54	-80
WKPBO1	186	143.38	-79.9
WKPBO1	189	143.59	-79.9
WKPBO1	192	143.5	-79.8
WKPBO1	195	143.59	-79.9
WKPBO1	198	143.84	-79.9
WKPBO1	201	143.66	-79.9
WKPBO1	204	143.67	-79.8

WKPB01	207	143.88	-79.8
WKPB01	210	143.82	-79.8
WKPB01	213	143.74	-79.8
WKPB01	216	143.57	-79.8
WKPB01	219	143.2	-79.7
WKPB01	222	143.11	-79.6
WKPB01	225	143.61	-79.6
WKPB01	228	143.49	-79.6
WKPB01	231	143.47	-79.6
WKPB01	234	143.28	-79.5
WKPB01	237	143.21	-79.6
WKPB01	240	143.29	-79.5
WKPB01	243	143.22	-79.5
WKPB01	246	143.24	-79.4
WKPB01	249	143.22	-79.4
WKPB01	252	142.97	-79.3
WKPB01	255	143.38	-79.3
WKPB01	258	143.45	-79.3
WKPB01	261	143.18	-79.2
WKPB01	264	143.25	-79.2
WKPB01	267	143.64	-79.2
WKPB01	270	143.22	-79.2
WKPB01	273	143.14	-79.1
WKPB01	276	143.33	-79.1
WKPB01	279	143.36	-79.1
WKPB01	282	143.3	-79
WKPB01	285	143.38	-78.9
WKPB01	288	143.28	-78.9
WKPB01	291	143.23	-78.9
WKPB01	294	143.31	-78.9
WKPB01	297	143.29	-78.8
WKPB01	300	143.18	-78.7
WKPB01	303	143.35	-78.8
WKPB01	306	143.43	-78.8
WKPB01	309	143.53	-78.8
WKPB01	312	143.51	-78.8
WKPB01	314.92	143.49	-78.8