

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (o)	DIP (o)
WKP124M	0	153	-21.05
WKP124M	3	152.86	-20.47
WKP124M	6	152.75	-20.19
WKP124M	9	152.7	-20.25
WKP124M	12	152.66	-20.55
WKP124M	15	152.66	-20.67
WKP124M	18	152.63	-20.57
WKP124M	21	152.55	-20.49
WKP124M	24	152.43	-20.42
WKP124M	27	152.32	-20.45
WKP124M	30	152.3	-20.54
WKP124M	33	152.35	-20.79
WKP124M	36	152.41	-21.16
WKP124M	39	152.44	-21.6
WKP124M	42	152.46	-22.01
WKP124M	45	152.46	-22.29
WKP124M	48	152.5	-22.38
WKP124M	51	152.44	-22.54
WKP124M	54	152.34	-22.99
WKP124M	57	152.17	-23.7
WKP124M	60	152.03	-24.29
WKP124M	63	151.93	-24.33
WKP124M	66	151.86	-24.09
WKP124M	69	151.78	-23.99
WKP124M	72	151.74	-24.2
WKP124M	75	151.72	-24.65
WKP124M	78	151.7	-24.99
WKP124M	81	151.65	-25.01
WKP124M	84	151.49	-24.86
WKP124M	87	151.31	-24.78
WKP124M	90	151.03	-24.65
WKP124M	93	150.99	-24.83
WKP124M	96	150.94	-24.8
WKP124M	99	150.87	-24.63
WKP124M	102	150.77	-24.47
WKP124M	105	150.76	-24.38
WKP124M	108	150.8	-24.4
WKP124M	111	150.84	-24.48
WKP124M	114	150.81	-24.59
WKP124M	117	150.69	-24.63
WKP124M	120	150.59	-24.3
WKP124M	123	150.48	-23.7
WKP124M	126	150.38	-23.12
WKP124M	129	150.22	-22.51
WKP124M	132	150.36	-21.88
WKP124M	135	150.29	-21.98

WKP124M	138	150.24	-22.17
WKP124M	141	150.18	-22.52
WKP124M	144	150.09	-22.83
WKP124M	147	149.95	-23.28
WKP124M	150	149.83	-23.88
WKP124M	153	149.75	-24.43
WKP124M	156	149.69	-24.88
WKP124M	159	149.66	-25.05
WKP124M	162	149.68	-25.11
WKP124M	165	149.82	-25.49
WKP124M	168	150.04	-26.34
WKP124M	171	150.24	-26.88
WKP124M	174	150.46	-27.27
WKP124M	177	150.65	-27.79
WKP124M	180	150.86	-28.28
WKP124M	183	151.14	-28.71
WKP124M	186	151.53	-29.19
WKP124M	189	151.97	-29.68
WKP124M	192	152.48	-30.13
WKP124M	195	153.06	-30.43
WKP124M	198	153.62	-30.61
WKP124M	201	154.08	-30.82
WKP124M	204	154.38	-31.17
WKP124M	207	154.53	-31.58
WKP124M	210	154.55	-31.82
WKP124M	213	154.51	-31.92
WKP124M	216	154.47	-31.99
WKP124M	219	154.41	-32.07
WKP124M	222	154.38	-32.13
WKP124M	225	154.35	-32.29
WKP124M	228	154.3	-32.47
WKP124M	231	154.25	-32.51
WKP124M	234	154.18	-32.57
WKP124M	237	154.12	-32.65
WKP124M	240	154.07	-32.82
WKP124M	243	154.04	-33.04
WKP124M	246	154.01	-33.26
WKP124M	249	153.99	-33.47
WKP124M	252	153.99	-33.67
WKP124M	255	153.94	-33.81
WKP124M	258	153.9	-33.98
WKP124M	261	153.84	-34.12
WKP124M	264	153.84	-34.29
WKP124M	267	153.83	-34.46
WKP124M	270	153.8	-34.57
WKP124M	273	153.76	-34.73
WKP124M	276	153.75	-34.86
WKP124M	279	153.71	-35.01

WKP124M	282	153.71	-35.09
WKP124M	285	153.7	-35.16
WKP124M	288	153.64	-35.22
WKP124M	291	153.62	-35.35
WKP124M	294	153.58	-35.4
WKP124M	297	153.84	-35.25
WKP124M	300	154.35	-34.87
WKP124M	303	155.1	-34.43
WKP124M	306	155.88	-34
WKP124M	309	156.39	-33.82
WKP124M	312	156.67	-33.72
WKP124M	315	156.49	-34.28
WKP124M	318	156.53	-34.2
WKP124M	321	156.93	-34.04
WKP124M	324	158.08	-33.65
WKP124M	327	158.86	-33.33
WKP124M	330	159.03	-33.14
WKP124M	333	159.28	-32.83
WKP124M	336	159.26	-33.22
WKP124M	339	159.25	-33.25
WKP124M	342	159.27	-33.26
WKP124M	345	159.42	-33.19
WKP124M	348	159.62	-33
WKP124M	351	159.73	-32.57
WKP124M	354	159.79	-32.44
WKP124M	357	160.04	-32.53
WKP124M	360	160.38	-32.54
WKP124M	363	160.65	-32.46
WKP124M	366	160.75	-32.54
WKP124M	369	160.56	-32.73
WKP124M	372	160.08	-32.8
WKP124M	375	160.09	-32.69
WKP124M	378	160.76	-32.66
WKP124M	381	161.4	-32.7
WKP124M	384	161.7	-32.79
WKP124M	387	161.92	-32.98
WKP124M	390	162.23	-33.16
WKP124M	393	162.56	-33.42
WKP124M	396	163.07	-33.41
WKP124M	399	163.57	-33.32
WKP124M	402	164.24	-33.55
WKP124M	405	164.97	-34.02
WKP124M	408	165.6	-34.63
WKP124M	411	166.27	-35.12
WKP124M	414	167.13	-35.75
WKP124M	417	168.06	-35.79
WKP124M	420	169.02	-35.35
WKP124M	423	169.85	-34.94

WKP124M	426	170.75	-34.67
WKP124M	429	171.66	-34.44
WKP124M	432	172.75	-34.61
WKP124M	435	173.69	-35.03
WKP124M	438	174.28	-35.52
WKP124M	441	174.49	-35.7
WKP124M	444	174.44	-35.88
WKP124M	447	174.43	-36.04
WKP124M	450	174.46	-36.14
WKP124M	453	174.43	-36.25
WKP124M	456	174.51	-36.23
WKP124M	459	174.43	-36.27
WKP124M	462	174.45	-36.29
WKP124M	465	174.39	-36.27
WKP124M	468	174.31	-36.35
WKP124M	471	174.33	-36.31
WKP124M	474	174.39	-36.29
WKP124M	477	174.31	-36.25
WKP124M	480	174.38	-36.24
WKP124M	483	174.38	-36.18
WKP124M	486	174.4	-36.14
WKP124M	489	174.41	-36.09
WKP124M	492	174.38	-36.01
WKP124M	495	174.36	-35.98
WKP124M	498	174.39	-35.92
WKP124M	501	174.4	-35.91
WKP124M	504	174.32	-35.78
WKP124M	507	174.32	-35.72
WKP124M	510	174.35	-35.75
WKP124M	513	174.43	-35.7
WKP124M	516	174.34	-35.64
WKP124M	519	174.35	-35.62
WKP124M	522	174.32	-35.58
WKP124M	525	174.47	-35.43
WKP124M	528	174.39	-35.4
WKP124M	531	174.39	-35.38
WKP124M	534	174.31	-35.38
WKP124M	537	174.18	-35.28
WKP124M	540	174.16	-35.23
WKP124M	543	174.05	-35.08
WKP124M	546	174.08	-34.97
WKP124M	549	174.18	-35.1
WKP124M	552	174.38	-34.96
WKP124M	555	174.48	-34.97
WKP124M	558	174.54	-35.13
WKP124M	561	174.49	-35.31
WKP124M	564	174.27	-35.4
WKP124M	567	174.22	-35.3

WKP124M	570	174.21	-35.31
WKP124M	573	174.25	-35.24
WKP124M	576	174.34	-35.28
WKP124M	579	174.41	-35.28
WKP124M	582	174.38	-35.34
WKP124M	585	174.32	-35.29
WKP124M	588	174.33	-35.32
WKP124M	591	174.31	-35.28
WKP124M	594	174.24	-35.26
WKP124M	597	174.28	-35.21
WKP124M	600	174.4	-35.28
WKP124M	603	174.32	-35.26
WKP124M	606	174.25	-35.33
WKP124M	609	174.14	-35.36
WKP124M	612	174.12	-35.31
WKP124M	615	174.22	-35.25
WKP124M	618	174.16	-35.12
WKP124M	621	174.29	-34.99
WKP124M	624	174.41	-35.19
WKP124M	627	174.41	-35.1
WKP124M	630	174.27	-35.18
WKP124M	633	174.22	-35.1
WKP124M	636	174.2	-34.97
WKP124M	639	174.38	-34.94
WKP124M	642	174.39	-34.94
WKP124M	645	174.39	-34.94
WKP124M	646.93	174.39	-34.94
WKP124N	0	152.94	-21.05
WKP124N	3	152.57	-20.41
WKP124N	6	152.39	-20.3
WKP124N	9	152.35	-20.44
WKP124N	12	152.3	-20.63
WKP124N	15	152.3	-20.62
WKP124N	18	152.26	-20.56
WKP124N	21	152.18	-20.52
WKP124N	24	152.02	-20.48
WKP124N	27	151.92	-20.5
WKP124N	30	151.92	-20.57
WKP124N	33	152	-20.84
WKP124N	36	152.07	-21.24
WKP124N	39	152.08	-21.74
WKP124N	42	152.07	-22.14
WKP124N	45	152.1	-22.33
WKP124N	48	152.11	-22.39
WKP124N	51	152.08	-22.61
WKP124N	54	151.95	-23.15
WKP124N	57	151.76	-23.92
WKP124N	60	151.6	-24.4

WKP124N	63	151.53	-24.31
WKP124N	66	151.46	-24.12
WKP124N	69	151.43	-24.09
WKP124N	72	151.4	-24.32
WKP124N	75	151.39	-24.74
WKP124N	78	151.33	-24.88
WKP124N	81	151.2	-24.73
WKP124N	84	151.02	-24.65
WKP124N	87	150.88	-24.96
WKP124N	90	150.79	-25.46
WKP124N	93	150.72	-25.68
WKP124N	96	150.61	-25.2
WKP124N	99	150.58	-24.57
WKP124N	102	150.55	-24.17
WKP124N	105	150.54	-24.31
WKP124N	108	150.59	-24.95
WKP124N	111	150.56	-25.64
WKP124N	114	150.54	-25.96
WKP124N	117	150.51	-26.02
WKP124N	120	150.51	-26.03
WKP124N	123	150.47	-26
WKP124N	126	150.36	-25.97
WKP124N	129	150.26	-26.2
WKP124N	132	150.17	-26.55
WKP124N	135	150.16	-26.86
WKP124N	138	150.08	-27.1
WKP124N	141	150	-27.29
WKP124N	144	149.93	-27.55
WKP124N	147	149.87	-27.69
WKP124N	150	149.83	-27.82
WKP124N	153	149.78	-27.99
WKP124N	156	149.72	-28.21
WKP124N	159	149.67	-28.43
WKP124N	162	149.65	-28.72
WKP124N	165	149.72	-28.85
WKP124N	168	149.63	-28.89
WKP124N	171	149.56	-29.06
WKP124N	174	149.55	-29.42
WKP124N	177	149.5	-29.72
WKP124N	180	149.45	-29.96
WKP124N	183	149.43	-30.18
WKP124N	186	149.34	-30.46
WKP124N	189	149.33	-30.68
WKP124N	192	149.32	-30.92
WKP124N	195	149.25	-31.11
WKP124N	198	149.19	-31.29
WKP124N	201	149.13	-31.5
WKP124N	204	149.1	-31.75

WKP124N	207	149.04	-31.88
WKP124N	210	149.07	-32.07
WKP124N	213	148.93	-32.29
WKP124N	216	148.9	-32.52
WKP124N	219	148.82	-32.74
WKP124N	222	148.85	-32.94
WKP124N	225	148.81	-33.14
WKP124N	228	148.88	-33.3
WKP124N	231	148.9	-33.43
WKP124N	234	148.88	-33.36
WKP124N	237	148.79	-33.21
WKP124N	240	148.63	-32.92
WKP124N	243	148.59	-32.54
WKP124N	246	148.76	-32.16
WKP124N	249	148.94	-31.73
WKP124N	252	148.93	-31.11
WKP124N	255	148.94	-30.34
WKP124N	258	149.09	-29.58
WKP124N	261	149.47	-28.85
WKP124N	264	149.98	-28.02
WKP124N	267	150.37	-27.21
WKP124N	270	150.54	-26.48
WKP124N	273	150.56	-25.8
WKP124N	276	150.57	-25.19
WKP124N	279	150.62	-24.69
WKP124N	282	150.66	-24.12
WKP124N	285	150.72	-23.38
WKP124N	288	150.91	-22.62
WKP124N	291	151.44	-22.19
WKP124N	294	152.18	-22.06
WKP124N	297	152.76	-21.94
WKP124N	300	153.22	-21.73
WKP124N	303	153.67	-21.52
WKP124N	306	154.07	-21.31
WKP124N	309	154.27	-20.94
WKP124N	312	154.22	-20.49
WKP124N	315	153.91	-19.97
WKP124N	318	153.52	-19.42
WKP124N	321	153.13	-18.7
WKP124N	324	152.88	-18.12
WKP124N	327	152.87	-17.84
WKP124N	330	152.91	-17.78
WKP124N	333	152.84	-17.38
WKP124N	336	152.54	-16.77
WKP124N	339	152.12	-16.21
WKP124N	342	151.69	-15.82
WKP124N	345	151.22	-15.62
WKP124N	348	150.84	-15.44

WKP124N	351	150.45	-15.17
WKP124N	354	149.98	-14.73
WKP124N	357	149.59	-14.14
WKP124N	360	149.59	-13.28
WKP124N	363	149.86	-12.4
WKP124N	366	150.44	-12.07
WKP124N	369	151.18	-12.21
WKP124N	372	151.64	-12.32
WKP124N	375	151.7	-12.43
WKP124N	378	151.66	-12.45
WKP124N	381	151.6	-12.46
WKP124N	384	151.55	-12.53
WKP124N	387	151.57	-12.59
WKP124N	390	151.58	-12.76
WKP124N	393	151.64	-12.95
WKP124N	396	151.57	-13.06
WKP124N	399	151.52	-13.18
WKP124N	402	151.49	-13.31
WKP124N	405	151.48	-13.52
WKP124N	408	151.43	-13.74
WKP124N	411	151.4	-13.91
WKP124N	414	151.39	-14.05
WKP124N	417	151.38	-14.23
WKP124N	420	151.41	-14.53
WKP124N	423	151.4	-14.72
WKP124N	426	151.4	-14.89
WKP124N	429	151.43	-15.12
WKP124N	432	151.45	-15.42
WKP124N	435	151.5	-15.71
WKP124N	438	151.51	-16.02
WKP124N	441	151.49	-16.29
WKP124N	444	151.52	-16.56
WKP124N	447	151.55	-16.79
WKP124N	450	151.56	-17.07
WKP124N	453	151.54	-17.28
WKP124N	456	151.54	-17.57
WKP124N	459	151.57	-17.95
WKP124N	462	151.53	-18.26
WKP124N	465	151.52	-18.55
WKP124N	468	151.43	-18.77
WKP124N	471	151.36	-19.04
WKP124N	474	151.41	-19.19
WKP124N	477	151.51	-19.39
WKP124N	480	151.6	-19.55
WKP124N	483	151.66	-19.74
WKP124N	486	151.51	-19.92
WKP124N	489	151.43	-20.1
WKP124N	492	151.39	-20.2

WKP124N	495	151.44	-20.19
WKP124N	498	151.48	-20.35
WKP124N	501	151.52	-20.41
WKP124N	504	151.53	-20.39
WKP124N	507	151.5	-20.36
WKP124N	510	151.49	-20.56
WKP124N	513	151.46	-20.69
WKP124N	516	151.5	-20.83
WKP124N	519	151.55	-20.88
WKP124N	522	151.55	-20.87
WKP124N	525	151.51	-21.03
WKP124N	528	151.43	-21.13
WKP124N	531	151.39	-21.24
WKP124N	534	151.4	-21.25
WKP124N	537	151.55	-21.28
WKP124N	540	151.69	-21.48
WKP124N	543	151.63	-21.59
WKP124N	546	151.5	-21.61
WKP124N	549	151.51	-21.51
WKP124N	552	151.38	-21.49
WKP124N	555	151.4	-21.57
WKP124N	558	151.36	-21.67
WKP124N	561	151.35	-21.71
WKP124N	564	151.38	-21.78
WKP124N	567	151.42	-21.87
WKP124N	570	151.47	-21.96
WKP124N	573	151.43	-22.16
WKP124N	576	151.42	-22.13
WKP124N	579	151.42	-22.09
WKP124N	582	151.39	-22.17
WKP124N	585	151.44	-22.28
WKP124N	588	151.36	-22.51
WKP124N	591	151.3	-22.58
WKP124N	594	151.32	-22.69
WKP124N	597	151.32	-22.58
WKP124O	0	152.94	-21.05
WKP124O	3	152.57	-20.41
WKP124O	6	152.39	-20.3
WKP124O	9	152.35	-20.44
WKP124O	12	152.3	-20.63
WKP124O	15	152.3	-20.62
WKP124O	18	152.26	-20.56
WKP124O	21	152.18	-20.52
WKP124O	24	152.02	-20.48
WKP124O	27	151.92	-20.5
WKP124O	30	151.92	-20.57
WKP124O	33	152	-20.84
WKP124O	36	152.07	-21.24

WKP124O	39	152.08	-21.74
WKP124O	42	152.07	-22.14
WKP124O	45	152.1	-22.33
WKP124O	48	152.11	-22.39
WKP124O	51	152.08	-22.61
WKP124O	54	151.95	-23.15
WKP124O	57	151.76	-23.92
WKP124O	60	151.6	-24.4
WKP124O	63	151.53	-24.31
WKP124O	66	151.46	-24.12
WKP124O	69	151.43	-24.09
WKP124O	72	151.4	-24.32
WKP124O	75	151.39	-24.74
WKP124O	78	151.33	-24.88
WKP124O	81	151.2	-24.73
WKP124O	84	151.02	-24.65
WKP124O	87	150.88	-24.96
WKP124O	90	150.79	-25.46
WKP124O	93	150.72	-25.68
WKP124O	96	150.61	-25.2
WKP124O	99	150.58	-24.57
WKP124O	102	150.55	-24.17
WKP124O	105	150.54	-24.31
WKP124O	108	150.59	-24.95
WKP124O	111	150.56	-25.64
WKP124O	114	150.54	-25.96
WKP124O	117	150.51	-26.02
WKP124O	120	150.51	-26.03
WKP124O	123	150.47	-26
WKP124O	126	150.36	-25.97
WKP124O	129	150.26	-26.2
WKP124O	132	150.17	-26.55
WKP124O	135	150.16	-26.86
WKP124O	138	150.08	-27.1
WKP124O	141	150	-27.29
WKP124O	144	149.93	-27.55
WKP124O	147	149.87	-27.69
WKP124O	150	149.83	-27.82
WKP124O	153	149.78	-27.99
WKP124O	156	149.72	-28.21
WKP124O	159	149.67	-28.43
WKP124O	162	149.65	-28.72
WKP124O	165	149.72	-28.85
WKP124O	168	149.63	-28.89
WKP124O	171	149.56	-29.06
WKP124O	174	149.55	-29.42
WKP124O	177	149.5	-29.72
WKP124O	180	149.45	-29.96

WKP124O	183	149.43	-30.18
WKP124O	186	149.34	-30.46
WKP124O	189	149.33	-30.68
WKP124O	192	149.32	-30.92
WKP124O	195	149.25	-31.11
WKP124O	198	149.19	-31.29
WKP124O	201	149.13	-31.5
WKP124O	204	149.1	-31.75
WKP124O	207	149.04	-31.88
WKP124O	210	149.07	-32.07
WKP124O	213	148.93	-32.29
WKP124O	216	148.9	-32.52
WKP124O	219	148.82	-32.74
WKP124O	222	148.85	-32.94
WKP124O	225	148.81	-33.14
WKP124O	228	148.88	-33.3
WKP124O	231	148.9	-33.43
WKP124O	234	148.88	-33.36
WKP124O	237	148.79	-33.21
WKP124O	240	148.63	-32.92
WKP124O	243	148.59	-32.54
WKP124O	246	148.76	-32.16
WKP124O	249	148.94	-31.73
WKP124O	252	148.93	-31.11
WKP124O	255	148.94	-30.34
WKP124O	258	149.09	-29.58
WKP124O	261	149.47	-28.85
WKP124O	264	149.98	-28.02
WKP124O	267	150.37	-27.21
WKP124O	270	150.54	-26.48
WKP124O	273	150.56	-25.8
WKP124O	276	150.57	-25.19
WKP124O	279	150.62	-24.69
WKP124O	282	150.66	-24.12
WKP124O	285	150.72	-23.38
WKP124O	288	150.91	-22.62
WKP124O	291	151.44	-22.19
WKP124O	294	152.18	-22.06
WKP124O	297	152.76	-21.94
WKP124O	300	153.22	-21.73
WKP124O	303	153.67	-21.52
WKP124O	306	154.07	-21.31
WKP124O	309	154.27	-20.94
WKP124O	312	154.22	-20.49
WKP124O	315	153.91	-19.97
WKP124O	318	154.54	-20.04
WKP124O	321	154.5	-20.07
WKP124O	324	154.7	-20.02

WKP124O	327	155.13	-20.14
WKP124O	330	155.91	-20.41
WKP124O	333	156.76	-20.6
WKP124O	336	157.5	-20.59
WKP124O	339	157.93	-20.63
WKP124O	342	158.14	-20.89
WKP124O	345	158.58	-21.16
WKP124O	348	159.13	-21.17
WKP124O	351	159.75	-20.97
WKP124O	354	160.43	-20.96
WKP124O	357	161.05	-21.19
WKP124O	360	161.7	-21.6
WKP124O	363	162.26	-22
WKP124O	366	162.77	-22.28
WKP124O	369	163.23	-22.44
WKP124O	372	163.65	-22.46
WKP124O	375	164.06	-22.31
WKP124O	378	164.38	-22.3
WKP124O	381	164.57	-22.61
WKP124O	384	164.74	-23.13
WKP124O	387	164.98	-23.55
WKP124O	390	165.27	-23.54
WKP124O	393	165.6	-23.42
WKP124O	396	165.99	-23.41
WKP124O	399	166.51	-23.35
WKP124O	402	166.94	-23.28
WKP124O	405	167.31	-23.24
WKP124O	408	167.4	-23.32
WKP124O	411	167.46	-23.52
WKP124O	414	167.48	-23.67
WKP124O	417	167.43	-23.8
WKP124O	420	167.42	-23.9
WKP124O	423	167.44	-24.13
WKP124O	426	167.39	-24.29
WKP124O	429	167.45	-24.48
WKP124O	432	167.44	-24.84
WKP124O	435	167.35	-25.29
WKP124O	438	167.43	-25.57
WKP124O	441	167.43	-25.67
WKP124O	444	167.5	-25.97
WKP124O	447	167.53	-25.99
WKP124O	450	167.41	-26.07
WKP124O	453	167.42	-26.11
WKP124O	456	167.36	-26.23
WKP124O	459	167.3	-26.42
WKP124O	462	167.13	-26.69
WKP124O	465	167.03	-27.14
WKP124O	468	166.85	-27.64

WKP124O	471	166.8	-27.75
WKP124O	474	166.83	-27.59
WKP124O	477	166.95	-27.69
WKP124O	480	167.12	-27.74
WKP124O	483	167.15	-27.74
WKP124O	486	167.04	-27.79
WKP124O	489	167.03	-27.8
WKP124O	492	166.98	-28.12
WKP124O	495	167.21	-28.9
WKP124O	498	167.5	-29.86
WKP124O	501	167.62	-30.5
WKP124O	504	167.36	-30.51
WKP124O	507	167.38	-29.98
WKP124O	510	167.53	-29.12
WKP124O	513	167.33	-28.46
WKP124O	516	167.14	-28.3
WKP124O	519	166.92	-28.61
WKP124O	522	166.99	-29.14
WKP124O	525	167.23	-29.39
WKP124O	528	167.37	-29.47
WKP124O	531	167.42	-29.66
WKP124O	534	167.41	-29.76
WKP124O	537	167.54	-29.81
WKP124O	540	167.81	-30.01
WKP124O	543	167.77	-30.15
WKP124O	546	167.77	-30.19
WKP124O	549	167.78	-30.18
WKP124O	552	167.7	-30.21
WKP124O	555	167.87	-30.11
WKP124O	558	167.81	-30.06
WKP124O	561	167.63	-30.07
WKP124O	564	167.69	-30.04
WKP124O	567	167.56	-30.15
WKP124O	570	167.6	-30.1
WKP124O	573	167.82	-30.28
WKP124O	576	167.82	-30.37
WKP124O	579	167.84	-30.29
WKP124O	582	167.8	-30.37
WKP124O	585	167.83	-30.48
WKP124O	588	167.8	-30.51
WKP124O	591	167.77	-30.53
WKP124O	594	167.87	-30.38
WKP124O	597	167.88	-30.36
WKP124O	600	167.77	-30.3
WKP124O	603	167.74	-30.22
WKP124O	606	167.78	-30.29
WKP124O	609	167.78	-30.25
WKP124O	612	167.87	-30.27

WKP124O	615	167.77	-30.3
WKP124O	618	167.77	-30.2
WKP124O	621	167.68	-30.25
WKP124O	624	167.52	-30.3
WKP124O	627	167.55	-30.21
WKP124O	630	167.5	-30.11
WKP124O	633	167.6	-29.97
WKP124O	636	167.61	-29.99
WKP124O	639	167.71	-30.09
WKP124O	642	167.78	-30.14
WKP124O	645	167.79	-30.07
WKP124O	648	167.81	-30.03
WKP124O	651	167.92	-30.1
WKP124O	654	167.91	-30.1
WKP124O	657	167.89	-30.11
WKP124O	660	167.92	-30.04
WKP124O	663	167.86	-29.99
WKP124O	666	167.83	-29.85
WKP124O	669	167.83	-29.95
WKP144	0	115.1	-47.49
WKP144	3	115.54	-47.28
WKP144	6	115.51	-47.02
WKP144	9	115.37	-46.82
WKP144	12	115.17	-46.91
WKP144	15	114.94	-47.24
WKP144	18	114.8	-47.71
WKP144	21	114.72	-47.92
WKP144	24	114.68	-48.1
WKP144	27	114.64	-48.14
WKP144	30	114.61	-48.09
WKP144	33	114.54	-48.02
WKP144	36	114.48	-48.05
WKP144	39	114.42	-48.12
WKP144	42	114.4	-48.16
WKP144	45	114.36	-48.27
WKP144	48	114.33	-48.5
WKP144	51	114.25	-48.71
WKP144	54	114.22	-48.7
WKP144	57	114.19	-48.62
WKP144	60	114.12	-48.59
WKP144	63	114.1	-48.7
WKP144	66	114.11	-49.05
WKP144	69	114.18	-49.46
WKP144	72	114.17	-49.64
WKP144	75	114.13	-49.5
WKP144	78	114.04	-49.33
WKP144	81	113.96	-49.34
WKP144	84	113.92	-49.41

WKP144	87	113.83	-49.41
WKP144	90	113.82	-49.5
WKP144	93	113.87	-49.62
WKP144	96	113.87	-49.67
WKP144	99	113.93	-49.72
WKP144	102	113.96	-49.81
WKP144	105	113.94	-49.84
WKP144	108	113.98	-49.86
WKP144	111	113.95	-49.88
WKP144	114	113.98	-49.93
WKP144	117	113.94	-49.95
WKP144	120	113.9	-49.97
WKP144	123	113.87	-50.02
WKP144	126	113.86	-50.08
WKP144	129	113.85	-50.11
WKP144	132	113.84	-50.13
WKP144	135	113.79	-50.13
WKP144	138	113.75	-50.13
WKP144	141	113.72	-50.12
WKP144	144	113.72	-50.16
WKP144	147	113.74	-50.17
WKP144	150	113.71	-50.22
WKP144	153	113.7	-50.24
WKP144	156	113.66	-50.28
WKP144	159	113.61	-50.27
WKP144	162	113.56	-50.28
WKP144	165	113.6	-50.28
WKP144	168	113.62	-50.33
WKP144	171	113.66	-50.43
WKP144	174	113.66	-50.53
WKP144	177	113.7	-50.59
WKP144	180	113.72	-50.67
WKP144	183	113.64	-50.65
WKP144	186	113.57	-50.68
WKP144	189	113.58	-50.7
WKP144	192	113.6	-50.86
WKP144	195	113.59	-50.96
WKP144	198	113.49	-51
WKP144	201	113.47	-51.1
WKP144	204	113.48	-51.02
WKP144	207	113.48	-50.68
WKP144	210	113.06	-51.18
WKP144	213	112.94	-51.26
WKP144	216	112.83	-51.32
WKP144	219	112.88	-51.23
WKP144	222	112.93	-51.29
WKP144	225	112.91	-51.32
WKP144	228	112.83	-51.34

WKP144	231	112.67	-51.36
WKP144	234	112.45	-51.34
WKP144	237	112.45	-51.36
WKP144	240	112.25	-51.48
WKP144	243	112.16	-51.65
WKP144	246	112.08	-51.85
WKP144	249	111.9	-51.97
WKP144	252	111.82	-52.05
WKP144	255	111.72	-52.14
WKP144	258	111.63	-52.27
WKP144	261	111.45	-52.36
WKP144	264	111.35	-52.37
WKP144	267	111.27	-52.38
WKP144	270	111.09	-52.46
WKP144	273	110.82	-52.52
WKP144	276	110.76	-52.61
WKP144	279	110.8	-52.73
WKP144	282	110.64	-52.97
WKP144	285	110.53	-53.05
WKP144	288	110.48	-53.18
WKP144	291	110.4	-53.36
WKP144	294	110.25	-53.47
WKP144	297	110.05	-53.56
WKP144	300	110.11	-53.64
WKP144	303	109.99	-53.81
WKP144	306	109.88	-53.95
WKP144	309	109.71	-54.07
WKP144	312	109.7	-54.15
WKP144	315	109.73	-54.36
WKP144	318	109.44	-54.54
WKP144	321	109.34	-54.57
WKP144	324	109.39	-54.77
WKP144	327	109.26	-54.86
WKP144	330	109.08	-54.93
WKP144	333	109.13	-55.01
WKP144	336	109.03	-55.15
WKP144	339	108.97	-55.29
WKP144	342	108.72	-55.37
WKP144	345	108.76	-55.48
WKP144	348	108.76	-55.65
WKP144	351	108.59	-55.83
WKP144	354	108.54	-55.85
WKP144	357	108.62	-55.81
WKP144	360	108.5	-55.9
WKP144	363	108.46	-55.96
WKP144	366	108.36	-55.91
WKP144	369	108.46	-55.86
WKP144	372	108.45	-55.96

WKP144	375	108.35	-56
WKP144	378	108.31	-55.98
WKP144	381	108.38	-55.96
WKP144	384	108.39	-55.97
WKP144	387	108.21	-55.98
WKP144	390	108.35	-55.88
WKP144	393	108.34	-56
WKP144	396	108.45	-56
WKP144	399	108.24	-56.01
WKP144	402	108.31	-55.9
WKP144	405	108.38	-55.92
WKP144	408	108.34	-55.92
WKP144	411	108.27	-55.87
WKP144	414	108.29	-55.83
WKP144	417	108.31	-55.84
WKP144	420	108.06	-55.79
WKP144	423	108.13	-55.72
WKP144	426	108.05	-55.68
WKP144	429	107.82	-55.77
WKP144	432	107.5	-55.78
WKP144	435	107.36	-55.72
WKP144	438	107.36	-55.78
WKP144	441	107.11	-55.79
WKP144	444	106.87	-55.78
WKP144	447	106.97	-55.77
WKP144	450	106.94	-55.73
WKP144	453	107.09	-55.76
WKP144	456	107.24	-55.7
WKP144	459	107.53	-55.63
WKP144	462	107.51	-55.59
WKP144	465	107.39	-55.56
WKP144	468	107.51	-55.36
WKP144	471	107.72	-55.34
WKP144	474	107.63	-55.45
WKP144	477	107.5	-55.38
WKP144	480	107.78	-55.29
WKP144	483	107.73	-55.43
WKP144	486	107.48	-55.41
WKP144	489	107.39	-55.23
WKP144	492	107.39	-55.4
WKP144	495	106.99	-55.42
WKP144	498	106.92	-55.32
WKP144	501	106.96	-55.19
WKP144	504	107.04	-55.23
WKP144	507	106.79	-55.13
WKP144	510	106.84	-55.02
WKP144	513	107.02	-54.96
WKP144	516	106.83	-54.97

WKP144	519	106.66	-54.85
WKP144	522	106.83	-54.69
WKP144	525	106.92	-54.72
WKP144	528	106.65	-54.65
WKP144	531	106.72	-54.39
WKP144	534	106.81	-54.3
WKP144	537	106.8	-54.3
WKP144A	0	115.1	-47.49
WKP144A	3	115.54	-47.28
WKP144A	6	115.51	-47.02
WKP144A	9	115.37	-46.82
WKP144A	12	115.17	-46.91
WKP144A	15	114.94	-47.24
WKP144A	18	114.8	-47.71
WKP144A	21	114.72	-47.92
WKP144A	24	114.68	-48.1
WKP144A	27	114.64	-48.14
WKP144A	30	114.61	-48.09
WKP144A	33	114.54	-48.02
WKP144A	36	114.48	-48.05
WKP144A	39	114.42	-48.12
WKP144A	42	114.4	-48.16
WKP144A	45	114.36	-48.27
WKP144A	48	114.33	-48.5
WKP144A	51	114.25	-48.71
WKP144A	54	114.22	-48.7
WKP144A	57	114.19	-48.62
WKP144A	60	114.12	-48.59
WKP144A	63	114.1	-48.7
WKP144A	66	114.11	-49.05
WKP144A	69	114.18	-49.46
WKP144A	72	114.17	-49.64
WKP144A	75	114.13	-49.5
WKP144A	78	114.04	-49.33
WKP144A	81	113.96	-49.34
WKP144A	84	113.92	-49.41
WKP144A	87	113.83	-49.41
WKP144A	90	113.82	-49.5
WKP144A	93	113.87	-49.62
WKP144A	96	113.87	-49.67
WKP144A	99	113.93	-49.72
WKP144A	102	113.96	-49.81
WKP144A	105	113.94	-49.84
WKP144A	108	113.98	-49.86
WKP144A	111	113.95	-49.88
WKP144A	114	113.98	-49.93
WKP144A	117	113.94	-49.95
WKP144A	120	113.9	-49.97

WKP144A	123	113.87	-50.02
WKP144A	126	113.86	-50.08
WKP144A	129	113.85	-50.11
WKP144A	132	113.84	-50.13
WKP144A	135	113.79	-50.13
WKP144A	138	113.75	-50.13
WKP144A	141	113.72	-50.12
WKP144A	144	113.72	-50.16
WKP144A	147	113.74	-50.17
WKP144A	150	113.71	-50.22
WKP144A	153	113.7	-50.24
WKP144A	156	113.66	-50.28
WKP144A	159	113.61	-50.27
WKP144A	162	113.56	-50.28
WKP144A	165	113.6	-50.28
WKP144A	168	113.62	-50.33
WKP144A	171	113.66	-50.43
WKP144A	174	113.66	-50.53
WKP144A	177	113.7	-50.59
WKP144A	180	113.72	-50.67
WKP144A	183	113.64	-50.65
WKP144A	186	113.57	-50.68
WKP144A	189	113.58	-50.7
WKP144A	192	113.6	-50.86
WKP144A	195	113.59	-50.96
WKP144A	198	113.49	-51
WKP144A	201	113.47	-51.1
WKP144A	204	113.48	-51.02
WKP144A	207	113.48	-50.68
WKP144A	210	113.58	-50.19
WKP144A	213	113.5	-50.27
WKP144A	216	113.44	-50.43
WKP144A	219	113.49	-50.49
WKP144A	222	113.55	-50.65
WKP144A	225	113.3	-50.49
WKP144A	228	112.85	-50.07
WKP144A	231	112.16	-49.6
WKP144A	234	111.51	-48.98
WKP144A	237	111.14	-48.35
WKP144A	240	111.19	-47.89
WKP144A	243	111.48	-47.65
WKP144A	246	111.42	-47.47
WKP144A	249	110.85	-47.3
WKP144A	252	108.9	-47.26
WKP144A	255	108.18	-47.06
WKP144A	258	107.77	-46.62
WKP144A	261	107.41	-46.04
WKP144A	264	107.28	-45.46

WKP144A	267	107.57	-44.95
WKP144A	270	108.01	-44.57
WKP144A	273	108.18	-44.15
WKP144A	276	108.1	-43.77
WKP144A	279	107.72	-43.4
WKP144A	282	107.41	-43.01
WKP144A	285	106.89	-42.7
WKP144A	288	106.14	-42.42
WKP144A	291	105.4	-42.13
WKP144A	294	104.67	-41.63
WKP144A	297	103.93	-41.09
WKP144A	300	103.15	-40.92
WKP144A	303	102.51	-40.62
WKP144A	306	102	-40.12
WKP144A	309	101.42	-39.62
WKP144A	312	101	-39.11
WKP144A	315	100.94	-38.45
WKP144A	318	101.18	-37.7
WKP144A	321	101.67	-37.06
WKP144A	324	102.24	-36.46
WKP144A	327	102.78	-35.91
WKP144A	330	103.06	-35.69
WKP144A	333	103.05	-35.79
WKP144A	336	103.03	-35.86
WKP144A	339	102.99	-35.85
WKP144A	342	102.96	-35.83
WKP144A	345	102.95	-35.85
WKP144A	348	102.96	-35.83
WKP144A	351	102.96	-36
WKP144A	354	102.86	-36.03
WKP144A	357	102.8	-36.19
WKP144A	360	102.75	-36.29
WKP144A	363	102.67	-36.39
WKP144A	366	102.61	-36.49
WKP144A	369	102.56	-36.66
WKP144A	372	102.5	-36.77
WKP144A	375	102.52	-36.75
WKP144A	378	102.5	-36.84
WKP144A	381	102.46	-37.03
WKP144A	384	102.46	-37.17
WKP144A	387	102.46	-37.18
WKP144A	390	102.37	-37.25
WKP144A	393	102.31	-37.31
WKP144A	396	102.28	-37.27
WKP144A	399	102.28	-37.22
WKP144A	402	102.26	-37.09
WKP144A	405	102.2	-37.02
WKP144A	408	102.27	-36.87

WKP144A	411	102.3	-36.77
WKP144A	414	102.25	-36.76
WKP144A	417	102.22	-36.84
WKP144A	420	102.15	-36.78
WKP144A	423	102.13	-36.69
WKP144A	426	102.14	-36.56
WKP144A	429	102.11	-36.39
WKP144A	432	102.15	-36.37
WKP144A	435	102.07	-36.56
WKP144A	438	102.05	-36.66
WKP144A	441	102.14	-36.7
WKP144A	444	101.95	-36.69
WKP144A	447	101.98	-36.56
WKP144A	450	101.88	-36.68
WKP144A	453	101.98	-36.76
WKP144A	456	102.04	-36.8
WKP144A	459	101.95	-36.77
WKP144A	462	101.94	-36.76
WKP144A	465	101.85	-36.8
WKP144A	468	102.07	-36.82
WKP144A	471	101.99	-36.58
WKP144A	474	101.53	-35.16
WKP144A	477	101.31	-35.15
WKP144A	480	101.65	-35.82
WKP144A	483	102.5	-36.66
WKP144A	486	102.9	-37.05
WKP144A	489	102.85	-36.25
WKP144A	492	102.54	-36.33
WKP144A	495	102.55	-36.51
WKP144A	498	102.46	-36.63
WKP144A	501	102.5	-36.67
WKP144A	504	102.35	-36.76
WKP144A	507	102.34	-36.69
WKP144A	510	102.32	-36.7
WKP144A	513	102.23	-36.79
WKP144A	516	102.2	-36.85
WKP144A	519	102.1	-36.87
WKP144A	522	102.2	-36.83
WKP144A	525	102.33	-36.91
WKP144A	528	102.3	-36.92
WKP144A	531	102.28	-36.9
WKP144A	534	102.26	-36.88
WKP144A	537	102.31	-37
WKP144A	540	102.44	-37.15
WKP144A	543	102.52	-37.21
WKP144A	546	102.39	-37.16
WKP144A	549	102.42	-37.24
WKP144A	552	102.42	-37.43

WKP144A	555	102.56	-37.68
WKP144A	558	102.56	-37.58
WKP144A	560	102.56	-37.58
WKP144B	0	115.1	-47.49
WKP144B	3	115.54	-47.28
WKP144B	6	115.51	-47.02
WKP144B	9	115.37	-46.82
WKP144B	12	115.17	-46.91
WKP144B	15	114.94	-47.24
WKP144B	18	114.8	-47.71
WKP144B	21	114.72	-47.92
WKP144B	24	114.68	-48.1
WKP144B	27	114.64	-48.14
WKP144B	30	114.61	-48.09
WKP144B	33	114.54	-48.02
WKP144B	36	114.48	-48.05
WKP144B	39	114.42	-48.12
WKP144B	42	114.4	-48.16
WKP144B	45	114.36	-48.27
WKP144B	48	114.33	-48.5
WKP144B	51	114.25	-48.71
WKP144B	54	114.22	-48.7
WKP144B	57	114.19	-48.62
WKP144B	60	114.12	-48.59
WKP144B	63	114.1	-48.7
WKP144B	66	114.11	-49.05
WKP144B	69	114.18	-49.46
WKP144B	72	114.17	-49.64
WKP144B	75	114.13	-49.5
WKP144B	78	114.04	-49.33
WKP144B	81	113.96	-49.34
WKP144B	84	113.92	-49.41
WKP144B	87	113.83	-49.41
WKP144B	90	113.82	-49.5
WKP144B	93	113.87	-49.62
WKP144B	96	113.87	-49.67
WKP144B	99	113.93	-49.72
WKP144B	102	113.96	-49.81
WKP144B	105	113.94	-49.84
WKP144B	108	113.98	-49.86
WKP144B	111	113.95	-49.88
WKP144B	114	113.98	-49.93
WKP144B	117	113.94	-49.95
WKP144B	120	113.9	-49.97
WKP144B	123	113.87	-50.02
WKP144B	126	113.86	-50.08
WKP144B	129	113.85	-50.11
WKP144B	132	113.84	-50.13

WKP144B	135	113.79	-50.13
WKP144B	138	113.75	-50.13
WKP144B	141	113.72	-50.12
WKP144B	144	113.72	-50.16
WKP144B	147	113.74	-50.17
WKP144B	150	113.71	-50.22
WKP144B	153	113.7	-50.24
WKP144B	156	113.66	-50.28
WKP144B	159	113.61	-50.27
WKP144B	162	113.56	-50.28
WKP144B	165	113.6	-50.28
WKP144B	168	113.62	-50.33
WKP144B	171	113.66	-50.43
WKP144B	174	113.66	-50.53
WKP144B	177	113.7	-50.59
WKP144B	180	113.72	-50.67
WKP144B	183	113.64	-50.65
WKP144B	186	113.57	-50.68
WKP144B	189	113.58	-50.7
WKP144B	192	113.6	-50.86
WKP144B	195	113.59	-50.96
WKP144B	198	113.49	-51
WKP144B	201	113.47	-51.1
WKP144B	204	113.48	-51.02
WKP144B	207	113.48	-50.68
WKP144B	210	113.58	-50.19
WKP144B	213	113.5	-50.27
WKP144B	216	113.44	-50.43
WKP144B	219	113.49	-50.49
WKP144B	222	113.55	-50.65
WKP144B	225	113.3	-50.49
WKP144B	228	112.85	-50.07
WKP144B	231	112.16	-49.6
WKP144B	234	111.51	-48.98
WKP144B	237	111.14	-48.35
WKP144B	240	111.19	-47.89
WKP144B	243	111.48	-47.65
WKP144B	246	111.42	-47.47
WKP144B	249	110.85	-47.3
WKP144B	252	111	-47.05
WKP144B	255	110.73	-47.03
WKP144B	258	110.49	-47.26
WKP144B	261	109.79	-47.47
WKP144B	264	108.58	-47.58
WKP144B	267	107.21	-47.48
WKP144B	270	106.12	-47.12
WKP144B	273	104.8	-46.85
WKP144B	276	103.86	-46.64

WKP144B	279	103.04	-46.53
WKP144B	282	102.07	-46.38
WKP144B	285	101.04	-46.06
WKP144B	288	100.09	-45.77
WKP144B	291	99.14	-45.49
WKP144B	294	98.39	-45.2
WKP144B	297	97.63	-44.9
WKP144B	300	96.78	-44.51
WKP144B	303	95.85	-44.24
WKP144B	306	94.83	-44.15
WKP144B	309	93.97	-44.21
WKP144B	312	93.39	-44.17
WKP144B	315	93.19	-44.25
WKP144B	318	93.22	-44.35
WKP144B	321	93.26	-44.47
WKP144B	324	93.3	-44.58
WKP144B	327	93.31	-44.63
WKP144B	330	93.25	-44.94
WKP144B	333	93.21	-45.01
WKP144B	336	93.19	-44.79
WKP144B	339	93.12	-44.79
WKP144B	342	93.11	-45.03
WKP144B	345	93.21	-45.24
WKP144B	348	93.25	-45.3
WKP144B	351	93.22	-45.39
WKP144B	354	93.17	-45.46
WKP144B	357	93.18	-45.5
WKP144B	360	93.18	-45.59
WKP144B	363	93.08	-45.71
WKP144B	366	93.03	-45.64
WKP144B	369	93	-45.67
WKP144B	372	93	-45.62
WKP144B	375	93	-45.57
WKP144B	378	93	-45.55
WKP144B	381	93.11	-45.55
WKP144B	384	93.17	-45.5
WKP144B	387	93.17	-45.49
WKP144B	390	93.07	-45.44
WKP144B	393	92.81	-45.53
WKP144B	396	92.65	-45.5
WKP144B	399	92.66	-45.47
WKP144B	402	92.69	-45.44
WKP144B	405	92.69	-45.52
WKP144B	408	92.67	-45.49
WKP144B	411	92.6	-45.49
WKP144B	414	92.39	-45.53
WKP144B	417	92.34	-45.61
WKP144B	420	92.36	-45.68

WKP144B	423	92.36	-45.66
WKP144B	426	92.5	-45.51
WKP144B	429	92.55	-45.49
WKP144B	432	92.57	-45.61
WKP144B	435	92.66	-45.49
WKP144B	438	92.58	-45.45
WKP144B	441	92.37	-45.46
WKP144B	444	92.26	-45.64
WKP144B	447	92.23	-45.76
WKP144B	450	92.2	-45.71
WKP144B	453	92.22	-45.71
WKP144B	456	92.19	-45.86
WKP144B	459	92.21	-45.94
WKP144B	462	92.18	-45.92
WKP144B	465	92.06	-45.86
WKP144B	468	92.02	-45.77
WKP144B	471	91.91	-45.76
WKP144B	474	92	-45.66
WKP144B	477	91.94	-45.21
WKP144B	480	91.86	-45.26
WKP144B	483	91.65	-45.28
WKP144B	486	91.76	-45.4
WKP144B	489	91.93	-45.4
WKP144B	492	92.06	-45.38
WKP144B	495	92.34	-45.44
WKP144B	498	92.34	-45.36
WKP144B	501	92.14	-45.3
WKP144B	504	91.93	-45.19
WKP144B	507	91.93	-45.14
WKP144B	510	91.83	-45.14
WKP144B	513	91.7	-44.8
WKP144B	516	91.73	-44.77
WKP144B	519	91.68	-44.69
WKP144C	0	115.1	-47.49
WKP144C	3	115.54	-47.28
WKP144C	6	115.51	-47.02
WKP144C	9	115.37	-46.82
WKP144C	12	115.17	-46.91
WKP144C	15	114.94	-47.24
WKP144C	18	114.8	-47.71
WKP144C	21	114.72	-47.92
WKP144C	24	114.68	-48.1
WKP144C	27	114.64	-48.14
WKP144C	30	114.61	-48.09
WKP144C	33	114.54	-48.02
WKP144C	36	114.48	-48.05
WKP144C	39	114.42	-48.12
WKP144C	42	114.4	-48.16

WKP144C	45	114.36	-48.27
WKP144C	48	114.33	-48.5
WKP144C	51	114.25	-48.71
WKP144C	54	114.22	-48.7
WKP144C	57	114.19	-48.62
WKP144C	60	114.12	-48.59
WKP144C	63	114.1	-48.7
WKP144C	66	114.11	-49.05
WKP144C	69	114.18	-49.46
WKP144C	72	114.17	-49.64
WKP144C	75	114.13	-49.5
WKP144C	78	114.04	-49.33
WKP144C	81	113.96	-49.34
WKP144C	84	113.92	-49.41
WKP144C	87	113.83	-49.41
WKP144C	90	113.82	-49.5
WKP144C	93	113.87	-49.62
WKP144C	96	113.87	-49.67
WKP144C	99	113.93	-49.72
WKP144C	102	113.96	-49.81
WKP144C	105	113.94	-49.84
WKP144C	108	113.98	-49.86
WKP144C	111	113.95	-49.88
WKP144C	114	113.98	-49.93
WKP144C	117	113.94	-49.95
WKP144C	120	113.9	-49.97
WKP144C	123	113.87	-50.02
WKP144C	126	113.86	-50.08
WKP144C	129	113.85	-50.11
WKP144C	132	113.84	-50.13
WKP144C	135	113.79	-50.13
WKP144C	138	113.75	-50.13
WKP144C	141	113.72	-50.12
WKP144C	144	113.72	-50.16
WKP144C	147	113.74	-50.17
WKP144C	150	113.71	-50.22
WKP144C	153	113.7	-50.24
WKP144C	156	113.66	-50.28
WKP144C	159	113.61	-50.27
WKP144C	162	113.56	-50.28
WKP144C	165	113.6	-50.28
WKP144C	168	113.62	-50.33
WKP144C	171	113.66	-50.43
WKP144C	174	113.66	-50.53
WKP144C	177	113.7	-50.59
WKP144C	180	113.72	-50.67
WKP144C	183	113.64	-50.65
WKP144C	186	113.57	-50.68

WKP144C	189	113.58	-50.7
WKP144C	192	113.6	-50.86
WKP144C	195	113.59	-50.96
WKP144C	198	113.49	-51
WKP144C	201	113.47	-51.1
WKP144C	204	113.48	-51.02
WKP144C	207	113.48	-50.68
WKP144C	210	113.58	-50.19
WKP144C	213	113.5	-50.27
WKP144C	216	113.44	-50.43
WKP144C	219	113.49	-50.49
WKP144C	222	113.55	-50.65
WKP144C	225	113.3	-50.49
WKP144C	228	112.85	-50.07
WKP144C	231	112.16	-49.6
WKP144C	234	111.51	-48.98
WKP144C	237	111.14	-48.35
WKP144C	240	111.19	-47.89
WKP144C	243	111.48	-47.65
WKP144C	246	111.42	-47.47
WKP144C	249	110.85	-47.3
WKP144C	252	111	-47.05
WKP144C	255	110.73	-47.03
WKP144C	258	110.49	-47.26
WKP144C	261	109.79	-47.47
WKP144C	264	108.58	-47.58
WKP144C	267	107.21	-47.48
WKP144C	270	106.12	-47.12
WKP144C	273	105.75	-46.57
WKP144C	276	105.54	-46.51
WKP144C	279	105.47	-46.51
WKP144C	282	105.64	-46.35
WKP144C	285	105.82	-45.9
WKP144C	288	105.95	-45.48
WKP144C	291	106.32	-45.1
WKP144C	294	106.87	-44.65
WKP144C	297	107.34	-44.21
WKP144C	300	107.74	-43.91
WKP144C	303	108.03	-43.62
WKP144C	306	108.32	-43.3
WKP144C	309	108.68	-43.13
WKP144C	312	109.26	-43.07
WKP144C	315	109.74	-42.99
WKP144C	318	110.11	-43.07
WKP144C	321	110.36	-43.35
WKP144C	324	110.7	-43.43
WKP144C	327	111.11	-43.31
WKP144C	330	111.39	-43.36

WKP144C	333	111.47	-43.48
WKP144C	336	111.43	-43.55
WKP144C	339	111.32	-43.55
WKP144C	342	111.33	-43.52
WKP144C	345	111.33	-43.67
WKP144C	348	111.32	-43.74
WKP144C	351	111.33	-43.79
WKP144C	354	111.35	-43.82
WKP144C	357	111.32	-44
WKP144C	360	111.28	-44.08
WKP144C	363	111.13	-44.17
WKP144C	366	111.05	-44.29
WKP144C	369	111.01	-44.32
WKP144C	372	110.99	-44.26
WKP144C	375	110.96	-44.17
WKP144C	378	110.92	-44.08
WKP144C	381	110.86	-44.03
WKP144C	384	110.83	-44
WKP144C	387	110.82	-43.93
WKP144C	390	110.77	-43.85
WKP144C	393	110.77	-43.9
WKP144C	396	110.58	-43.84
WKP144C	399	110.44	-43.77
WKP144C	402	110.53	-43.66
WKP144C	405	110.67	-43.66
WKP144C	408	110.7	-43.67
WKP144C	411	110.69	-43.57
WKP144C	414	110.7	-43.53
WKP144C	417	110.77	-43.46
WKP144C	420	110.67	-43.39
WKP144C	423	110.74	-43.29
WKP144C	426	110.73	-43.28
WKP144C	429	110.68	-43.25
WKP144C	432	110.7	-43.22
WKP144C	435	110.7	-43.2
WKP144C	438	110.77	-43.18
WKP144C	441	110.88	-43.25
WKP144C	444	111.01	-43.2
WKP144C	447	111.15	-43.19
WKP144C	450	111.25	-43.08
WKP144C	453	111.16	-42.93
WKP144C	456	111.11	-42.86
WKP144C	459	110.93	-42.71
WKP144C	462	110.9	-42.79
WKP144C	465	110.88	-42.83
WKP144C	468	110.86	-42.67
WKP144C	471	110.81	-42.14
WKP144C	474	110.95	-42.24

WKP144C	477	110.98	-42.22
WKP144C	480	110.82	-42.05
WKP144C	483	110.64	-42.03
WKP144C	486	110.5	-42.17
WKP144C	489	110.39	-42.21
WKP144C	492	110.35	-42.2
WKP144C	495	110.29	-42.12
WKP144C	498	110.28	-42